


FILIUS		Ø 3.0 m	Ø 3.5 m	Ø 4.0 m	
Segments		8	8	8	
Area	m <sup>2</sup>	7	9	12	
<b>A</b>	Height closed, with valance	cm	279	287	295
<b>B</b>	Height closed, without valance	cm	259	267	295
<b>C</b>	Headroom with valance	cm	200	200	200
<b>D</b>	Headroom without valance	cm	202	202	222
<b>E</b>	Height of valance	cm	28	28	28
<b>F</b>	Ground clearance (with valance) from spoke edge	cm	113	97	79
<b>G</b>	Ground clearance (without valance) from spoke edge	cm	93	77	79
<b>H</b>	Crank height	cm	92	92	92
Weight without packaging	kg	12	15.5	17.5	
Support pole diameter	mm	outer-Ø 55, pole thickness 2.5			
Packaging cardboard sleeve: length 307 cm		Ø 25 cm, approx. 7.5 kg			
Installation base length/width/min. depth	cm	50/50/60			
Minimum ballast incl. full frame pedestal DMZ411		1 layer of concrete slabs XZ40 = approx. 95 kg			




	1.5 x 1.5 m	2 x 2 m	2.5 x 2.5 m	3 x 3 m	3.5 x 3.5 m	2.25 x 3.05 m	3 x 4 m
	4	8	8	8	8	8	8
	2.25	4	6.25	9	12	7	12
<b>A</b>	259	274	280	289	295	279	290
<b>B</b>	259	254	260	269	275	259	270
<b>C</b>	200	200	200	200	200	208	208
<b>D</b>	220	202	202	202	202	210	210
<b>E</b>	23	23	28	28	28	28	28
<b>F</b>	148	120	94	63	32	80	30
<b>G</b>	148	100	74	43	12	60	10
<b>H</b>	70	92	92	92	92	92	92
	15	15	18	15	16	15	16.5
	outer-Ø 55, pole thickness 2.5						
	Ø 25 cm, approx. 7.5 kg						
	50/50/60						
	1 layer of concrete slabs XZ40 = approx. 95 kg						

The heights specified are for parasols with MayTex-Acryl covering fabric that are mounted in an anchor tube (DMZ118, DMZ146, DMZ150). The increase in height for parasols with other installation bases can be seen in the list below:

- Cross pedestal: DMZ110 + 6 cm
- Full frame pedestal: DMZ411 + 9 cm
- Full frame pedestal: DMZ412 + 12 cm
- Full frame pedestal: DMZ414 + 16 cm
- Full frame pedestal: DMZ420 + 19 cm
- Granite base: DMZ141 + 10 cm
- Wheeled pedestal: DMZ282 + 14/15 cm
- Anchor plate: DMZ261 + 4 cm
- Base plate: DMZ271 + 3 cm

3D view of installation base with top plate for winter protection. Base must be frost-proof and enlarged if the ground is unstable.



Intermediate and special sizes on request. All measurements are to be understood as approximate.

