www.samsondoors.co.uk

0800 328 6250

GLIDEROL GARAGE DOORS

Opening Doors Around the World®

D February 2013

amsondoors.co.uk



0800 328 6250



Contents

GlideRol•a•Door[®] Light Industrial Roller Door Dage 3

GlideRol•a•Door[®] Continuous Sheet Curtain Roller Door GlideRol•a•Door Mini[®] Continuous Sheet Curtain Roller Door Dage 4–5



Roll•a•Glide Compact[®] Insulated Automatic Roller Door Roll•a•Glide Manual[®] Insulated Manual Roller Door



Panel•Glide[®] Sectional Overhead Garage Door Safe•T•Glide[®] Steel Panel Sectional Overhead Garage Door

42mm Insulated Steel Panel Sectional Overhead Garage Door











Opening Doors Around the World®

Gliderol operates the worlds most extensive network of garage door and automation manufacturing companies. Our UK facility is based at Peterlee in County Durham and has been **"opening doors around the world"** for over twenty years. Our reputation is second-to-none for the high quality and outstanding value our products and services represent.

Ree

www.samsondoors.co.uk

Recommended Retail Price List Tel: 0191 518 0455 Fax: 0191 518 0548

All Gliderol products are CE marked and built within our audited ISO 9001 quality systems.



GlideRol•a•Door®

Light Industrial Roller Door

GlideRol•a•Door Series B Light Industrial Roller Door

| Series B | | | (| Curtain Width | (Opening wid | dth + 100mm) | | | |
|----------|--------|--------|--------|---------------|--------------|--------------|--------|--------|--------|
| | 6'-4" | 7'-4″ | 8'-4" | 9'-4" | 10′-4″ | 11′-4″ | 12'-4" | 14'-4" | 16′-4″ |
| Height | 1930mm | 2235mm | 2540mm | 2850mm | 3150mm | 3450mm | 3760mm | 4370mm | 5000mm |
| 1201- | 1025 | 1065 | 1104 | 1145 | 1449 | 1509 | 1608 | 1799 | 2053 |
| 2100mm | 1230 | 1278 | 1325 | 1374 | 1739 | 1811 | 1930 | 2159 | 2464 |
| 2101- | 1250 | 1299 | 1341 | 1390 | 1489 | 1554 | 1728 | 1915 | 2193 |
| 2400mm | 1500 | 1559 | 1610 | 1668 | 1787 | 1865 | 2074 | 2298 | 2632 |
| 2401- | 1269 | 1312 | 1365 | 1407 | 1505 | 1594 | 1858 | 1986 | 2247 |
| 2700mm | 1523 | 1575 | 1638 | 1689 | 1806 | 1913 | 2230 | 2384 | 2697 |
| 2701- | 1278 | 1319 | 1371 | 1414 | 1515 | 1643 | 1978 | 2193 | 2350 |
| 3000mm | 1534 | 1583 | 1646 | 1697 | 1818 | 1972 | 2374 | 2632 | 2820 |
| 3001- | 1287 | 1338 | 1381 | 1430 | 1526 | 1658 | 2014 | 2266 | 2451 |
| 3300mm | 1545 | 1606 | 1658 | 1716 | 1832 | 1990 | 2417 | 2720 | 2942 |
| 3301- | 1341 | 1390 | 1443 | 1493 | 1596 | 1729 | 2081 | 2350 | 2553 |
| 3600mm | 1610 | 1668 | 1732 | 1792 | 1916 | 2075 | 2498 | 2820 | 3064 |
| 3601- | 1390 | 1443 | 1493 | 1555 | 1739 | 1854 | 2184 | 2451 | 2636 |
| 4200mm | 1668 | 1732 | 1792 | 1866 | 2087 | 2225 | 2621 | 2942 | 3164 |
| 4201- | 1399 | 1452 | 1511 | 1575 | 1762 | 1876 | 2234 | 2523 | 2665 |
| 4800mm | 1679 | 1743 | 1814 | 1890 | 2115 | 2252 | 2681 | 3028 | 3198 |
| 4801- | 1443 | 1503 | 1564 | 1627 | 1801 | 1948 | 2318 | 2595 | 2780 |
| 4900mm | 1732 | 1804 | 1877 | 1953 | 2162 | 2338 | 2782 | 3114 | 3336 |

0800 328 6250

Denotes Plastisol Finish Pricing

Mahogany woodgrain attracts a 7% surcharge (add to plastisol price)

week

Above red line denotes chain hoist hand operated Door, unless automated with Glidermatic Dual Motor (no chain hoist).

Below red line denotes door fitted with a 1 to 1 direct chain hoist*

Below blue line denotes door fitted with 4 to 1 reduced chain hoist planetary gears (included in price) & IGDU heavy duty industrial motor required.

Chain hoists are fitted to the left hand side of the door looking out as standard, right hand on request.

Denotes Laminate Finish Pricing

Automation

Glidermatic Dual Motor (with 2 handsets) (Not remote control) IGDU Heavy Industrial Motor SINGLE PHASE POWER REQUIRED

Options

Steel panel wrap

Windlock


£22 per metre (x door width) £66 per pair per metre (x door height)

£425

£600

Colours

High grade finishes coat the steel in an attractive leather grain textured coating or high grade laminate - both are highly durable and will simply wipe clean. Mahogany woodgrain attracts a 7% surcharge (add to Plastisol price).



Recommended Retail Price List Tel: 0191 518 0455 Fax: 0191 518 0548 Effective February 1st 2013 Price in £ Sterling and Excluding VAT & Delivery



GlideRol•a•Door®

Continuous Sheet Curtain Roller Door





GlideRol•a•Door Continuous Sheet Curtain Roller Door

| 'A' Series | 'A' Series Curtain Width (Curtain width = opening + 50mm) | | | | | | | | | |
|----------------|---|--------|--------|--------|--------|--------|--------|--------|--------|--|
| | 4′ 2″ | 6' 2" | 7′ 2″ | 7′ 8″ | 8′ 2″ | 8′ 8″ | 9′ 2″ | 10′ 2″ | 11′ 2″ | |
| Height | 1270mm | 1880mm | 2185mm | 2337mm | 2490mm | 2650mm | 2800mm | 3100mm | 3400mm | |
| Up to 3' 10" | 575 | 607 | 684 | 711 | 725 | 761 | 803 | 936 | 1098 | |
| 1200mm | 690 | 729 | 821 | 854 | 870 | 914 | 964 | 1124 | 1318 | |
| 4' 1" to 7' | 633 | 672 | 711 | 728 | 762 | 802 | 826 | 964 | 1133 | |
| 1240 to 2135mm | 760 | 807 | 854 | 874 | 915 | 963 | 992 | 1157 | 1360 | |
| 7' 1" to 8' | 748 | 777 | 791 | 802 | 838 | 864 | 910 | 1025 | 1203 | |
| 2160 to 2440mm | 898 | 933 | 950 | 963 | 1006 | 1037 | 1092 | 1230 | 1444 | |
| 8' 1" to 9' | 788 | 835 | 890 | 916 | 966 | 985 | 1016 | 1146 | 1386 | |
| 2465 to 2740mm | 946 | 1002 | 1068 | 1100 | 1160 | 1182 | 1220 | 1376 | 1664 | |
| 9' 1" to 10' | 903 | 955 | 998 | 1057 | 1079 | 1102 | 1118 | 1260 | 1594 | |
| 2770 to 3055mm | 1084 | 1146 | 1198 | 1269 | 1295 | 1323 | 1342 | 1512 | 1913 | |

| 'AA' Series | 'AA' Series Curtain Width (Curtain width = opening + 100mm) | | | | | | | | |
|----------------|--|--------|---------|--------|--|--|--|--|--|
| | 12′ 4″ | 14′ 4″ | 14′ 10″ | 16′ 5″ | | | | | |
| Height | 3760mm | 4370mm | 4521mm | 5003mm | | | | | |
| Up to 3' 10" | 1322 | 1504 | 1656 | 1730 | | | | | |
| 1200mm | 1587 | 1805 | 1988 | 2076 | | | | | |
| 4' 1" to 7' | 1371 | 1583 | 1686 | 1880 | | | | | |
| 1240 to 2135mm | 1646 | 1900 | 2024 | 2256 | | | | | |
| 7' 1" to 8' | 1497 | 1834 | 1953 | 2056 | | | | | |
| 2160 to 2440mm | 1797 | 2201 | 2344 | 2468 | | | | | |
| 8' 1" to 9' | 1675 | 1940 | 2058 | 2160 | | | | | |
| 2465 to 2740mm | 2010 | 2328 | 2470 | 2592 | | | | | |
| 9' 1" to 10' | 1912 | 2226 | 2329 | 2409 | | | | | |
| 2770 to 3055mm | 2295 | 2672 | 2795 | 2891 | | | | | |

Mahogany woodgrain attracts a 7% surcharge (add to plastisol price)



Denotes Plastisol Finish Pricing

Denotes Laminate Finish Pricing

Above blue line denotes Glidermatic Heavy Duty Motor/ RW1 ROL•A•MATIC Retrofit Operator. Below blue line denotes Glidermatic Dual Motor

Options

| AUTOMATION | |
|--|---------------------------|
| Glidermatic Heavy Duty Motor (with 2 handsets) | £370 |
| Glidermatic Dual Motor (with 2 handsets) | £425 |
| A central lock is not supplied on automated doors as standard. Should a lock be required, please state at time of ordering (| cost £10 net) |
| RW1 ROL•A•MATIC Retrofit Operator suitable for most continuous sheet curtain doors (up to 12m ²). | £390 |
| Wireless digital entry key pad (wall mounted) | £100 |
| Additional Hand Transmitter | refer to parts price list |
| External Manual / electric Key Release | refer to parts price list |
| Hand Transmitter Cradle | refer to parts price list |
| Hand Transmitter Sun Visor Clip | refer to parts price list |
| OPTIONAL EXTRAS | |
| Mullions (7ft. & 8ft.) | £99 |
| Reverse Roll | £66 |
| Infill Panels (per linear metre) | £36 |
| Steel Panel Wrap per metre (x door width) | £22 |
| Windlock per pair per metre (x door height) (AA doors only) | £66 |

Colours

High grade finishes coat the steel in an attractive leather grain textured coating or high grade laminate (marked*) - both are highly durable and will simply wipe clean. Mahogany woodgrain attracts a 7% surcharge (add to Plastisol price).



Delivery

4

Price Includes delivery to Distributor premises on mainland UK. Delivery to site £40 per door.

Recommended Retail Price List Tel: 0191 518 0455 Fax: 0191 518 0548 Effective February 1st 2013 Prices in £ Sterling and Excluding VAT & Delivery

GlideRol•a•Door Mini[®]

0800 328 6250



GlideRol•a•Door Mini Continuous Sheet Curtain Roller Door

| 'A' Series | 'A' Series Curtain Width (Opening width + 50mm) | | | | | | | |
|----------------|---|-----------------|-----------------|-----------------|-----------------|------------------|------------------|--|
| Height | 7′ 2″ 2185mm | 7′ 8″ 2337mm | 8′ 2″ 2490mm | 8′ 8″ 2650mm | 9′ 2″ 2800mm | 10′ 2″ 3100mm | 11' 2″ 3400mm | |
| 4'1" to 7' | 772 | 783 | 794 | 833 | 865 | 982 | 1097 | |
| 1240 to 2135mm | 927 | 940 | 953 | 1000 | 1038 | 1179 | 1317 | |

Denotes Plastisol Finish Pricing Denotes Laminate Finish Pricing Mahogany woodgrain attracts a 7% surcharge (add to plastisol price)

Options

| AUTOMATION | |
|---|---------------------------|
| RW•1 Retrofit Operator (with 2 handsets) | £390 |
| Wireless digital entry key pad (wall mounted) | £100 |
| Additional Hand Transmitter | refer to parts price list |
| External Manual / Electric Key Release | refer to parts price list |
| Hand Transmitter Cradle | refer to parts price list |
| Hand Transmitter Sun Visor Clip | refer to parts price list |
| OPTIONAL EXTRAS | |
| Infill Panels (per linear metre) | £36 |

Infill Panels (per linear metre) Steel Panel Wrap per metre (x door width)


£22

Colours

Golden Oak

Laminate

High grade finishes coat the steel in an attractive leather grain textured coating or high grade laminate (marked*) - both are highly durable and will simply wipe clean. Mahogany woodgrain attracts a 7% surcharge (add to Plastisol price).



Zincalume

of the GlideRol•a•Door that requires reduced space above the door opening - perfect for flat roof garages or other space restricted garages. The door is available up to 2135mm high and 3400mm wide in all the same finishes and remote control options as its larger brother.



**Typical lead times for doors ordered by close of business on a Tuesday will delivered during the following week (1 week) or the second week following (2 weeks). Delivery day depends on location. These lead times are a guide only and can fluctuate during peak order periods, please seek confirmation.

Mahogany Woodgrain*

*7% surcharge

(add to Plastisol price)


Ordering & Dimensions


Rosewood

Laminate

Glidermatic doors require an extra 20mm side clearance on the side the drive unit is required to be fitted.

Sizes - GlideRol•a•Door up to 5m wide and 3m high. GlideRol•a•Door Mini up to 3.4m wide and 2.1m high.





Windlock system - should be specified for double doors in very exposed

locations and greater side room clearance is required. For advice and

information, speak to our technical department or your supplier.


| DIMENSION PANEL (mininum sizes) mm | | | | | | | | | |
|--|----------------------|--------------------------|--------------------------|--------------------------------------|--------------------------|--------------------------|--------------------------|--|--|
| SERIES A (Hand Operated) | Side Resid.A | Room Resid.AA | Head Room | А | В | С | D | | |
| 2100 HIGH 2400 HIGH 2700 HIGH 3000 HIGH Mini | 90 90 90 90 | 125 125 125 125 | 430 450 450 470 | 25-100 25-100 25-100 25-100 | 500 540 540 560 | 150 160 160 170 | 280 290 290 300 | | |
| 2100 HIGH | 90 | - | 340 | 25-100 | 420 | 150 | 190 | | |

If recommended headroom is not available the door may still be installed, required headroom should be maintained (n.b. some loss of opening height will occur and the roll of the door will be visible, but this may be disguised by a fascia).

Delivery

Price Includes delivery to Distributor premises on mainland UK. Delivery to site £40 per door.

Recommended Retail Price List Tel: 0191 518 0455 Fax: 0191 518 0548 Effective February 1st 2013 Prices in £ Sterling and Excluding VAT & Delivery



NO Box



Roll•a•Glide Insulated Roller Garage Door



Insulated Automatic Roller Door

| Guide Height | 2050mm 6'9" | 2550mm 8'4″ | 3050mm 10'0" | 3550mm 11'8″ | 4050mm 13'4″ | 4600mm 15'1″ | 5050mm 16'7″ | 5200mm 17′1 |
|--------------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|
| 1702mm | 1088 | 1161 | 1269 | 1362 | 1548 | 1718 | 1874 | 1909 |
| 5′ 7″ | 1276 | 1409 | 1557 | 1691 | 1943 | 2183 | 2379 | 2428 |
| 1981mm | 1103 | 1181 | 1294 | 1392 | 1583 | 1759 | 1914 | 1950 |
| 6' 6" | 1299 | 1441 | 1597 | 1740 | 1999 | 2249 | 2443 | 2494 |
| 2134mm | 1112 | 1191 | 1308 | 1401 | 1593 | 1764 | 1923 | 1960 |
| 7′ 0″ | 1426 | 1446 | 1607 | 1749 | 2009 | 2254 | 2461 | 2514 |
| 2286mm | 1142 | 1220 | 1333 | 1426 | 1681 | 1789 | 2033 | 2073 |
| 7′ 6″ | 1465 | 1504 | 1671 | 1808 | 2053 | 2318 | 2523 | 2577 |
| 2438mm | 1166 | 1245 | 1416 | 1450 | 1695 | 1906 | 2050 | 2087 |
| 8' 0" | 1514 | 1539 | 1769 | 1867 | 2151 | 2475 | 2660 | 2715 |
| 2590mm | 1264 | 1392 | 1490 | 1550 | 1847 | 1989 | 2237 | 2279 |
| 8′ 6″ | 1651 | 1769 | 1882 | 2058 | 2377 | 2641 | 2789 | 2847 |
| 2743mm | 1284 | 1401 | 1499 | 1558 | 1882 | 2205 | 2357 | 2401 |
| 9' | 1759 | 1779 | 1891 | 2063 | 2426 | 2646 | 3125 | 3190 |
| 3000mm | 1284 | 1411 | 1504 | 1568 | 1891 | 2254 | 2449 | 2495 |
| 9′ 10′ | 1798 | 1813 | 1906 | 2078 | 2548 | 2739 | 3265 | 3446 |

Over Guide Width

| HALF Box | Over Guide Width | | | | | | | | |
|--------------|------------------|----------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|--|
| Guide Height | 2050mm 6'9" | 2550mm 8'4" | 3050mm 10'0" | 3550mm 11'8″ | 4050mm 13'4″ | 4600mm 15'1″ | 5050mm 16'7″ | 5200mm 17′1 | |
| 1702mm | 1189 | 1272 | 1390 | 1493 | 1695 | 1874 | 2040 | 2080 | |
| 5′ 7″ | 1376 | 1520 | 1679 | 1822 | 2090 | 2340 | 2546 | 2600 | |
| 1981mm | 1201 | 1289 | 1411 | 1519 | 1725 | 1911 | 2076 | 2117 | |
| 6' 6" | 1397 | 1548 | 1715 | 1867 | 2141 | 2401 | 2605 | 2661 | |
| 2134mm | 1210 | 1299 | 1426 | 1529 | 1735 | 1916 | 2085 | 2127 | |
| 7′ 0″ | 1524 | 1553 | 1725 | 1877 | 2151 | 2406 | 2623 | 2680 | |
| 2286mm | 1240 | 1328 | 1450 | 1552 | 1823 | 1940 | 2195 | 2239 | |
| 7′ 6″ | 1563 | 1612 | 1789 | 1936 | 2195 | 2470 | 2685 | 2744 | |
| 2438mm | 1264 | 1352 | 1534 | 1578 | 1838 | 2058 | 2212 | 2254 | |
| 8' 0" | 1612 | 1646 | 1887 | 1994 | 2293 | 2626 | 2822 | 2881 | |
| 2590mm | 1362 | 1499 | 1607 | 1678 | 1989 | 2141 | 2399 | 2445 | |
| 8' 6" | 1749 | 1877 | 1999 | 2185 | 2519 | 2793 | 2951 | 3014 | |
| 2743mm | 1382 | 1509 | 1617 | 1686 | 2024 | 2357 | 2519 | 2568 | |
| 9′ | 1857 | 1887 | 2009 | 2190 | 2568 | 2798 | 3287 | 3357 | |
| 3000mm | 1382 | 1519 | 1651 | 1695 | 2034 | 2406 | 2612 | 2663 | |
| 9′ 10′ | 1896 | 1921 | 2024 | 2205 | 2690 | 2891 | 3428 | 3502 | |

FULL Box **Over Guide Width** 2050mm 2550mm 3050mm 3550mm 4050mm 5050mm 5200mm 4600mm **Guide Height** 6'9" 8'4" 10'0" 11'8" 13'4" 15'1" 16'7" 17′1 1702mm 5' 7" 1981mm 6' 6" 2134mm 7' 0" 2286mm 7' 6" 2438mm 8' 0" 2590mm 8' 6" 2743mm 9' 3000mm 9' 10'

Above red line denotes 70mm Guides / 270mm end plates. Below red line denotes 90mm Guides / 300mm end plates

Denotes Paint Finish Pricing Denotes Laminate Finish Pricing Below blue line denotes 90mm Guides / 360mm end plates

n Slate licio

| Vision Slats | | | | | | | | |
|--------------|----|----|----|----|----|-----|-----|-----|
| Per Slat | 47 | 59 | 70 | 82 | 93 | 106 | 116 | 208 |
| Powder Coat | | | | | | | | |
| Half Box | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| Full Box | 60 | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| Guides | 40 | 40 | 40 | 40 | 40 | 40 | 40 | 40 |

Tel: 0191 518 0455 Fax: 0191 518 0548

ffective February 1st 2013

Recommended Retail Price List

All Gliderol products are CE

marked and built within our

audited ISO 9001 quality system

www.samsondoors.c




Golden Oak Mahogany Rosewood

Ordering & Dimensions

ORDER BY OVERGUIDE WIDTH AND GUIDE HEIGHT (on official order form). All Gliderol Roll-A-Glide doors are supplied with remote control operation with two handsets, a bottom rail safety edge, internal manual release and alarm buzzer as standard.

Doors over 9m² (see above price matrix) are supplied as standard with a safety break device.

All Roll A Glide doors are ordered using the guide height (GH) and the over guide width (OGW). The OGW is the opening width plus 180mm / 140mm (width of the guides = 2×90 mm / 70mm).



visible below the top rail of the opening when the door is in the open position.


> Notes on colour: Door guides are available in colours matching the door curtain except laminate door colours (supplied in brown). Coloured guide rails are supplied as standard, however they may not match the lath colour. The manufacturing process for the lath profile results in a textured finish, whilst all other coloured items (guides, bottom laths, lock laths, optional fascias and vision panels) are supplied in a satin finish so cannot be guaranteed to match exactly. Over time, some scuffing may occur on front and rear surfaces of doors as a result of their normal operation.

FITTING BETWEEN THE OPENING

If fitting between the opening the over guide width of the door should be the narrowest measurement between the opening


When calculating door prices use over guide width and guide height (if in between sizes use the price of the next door size up).

Motors may be fitted to the left or right. Please state which side when ordering (as viewed from the inside looking out (VILO)).



*Refers to the Roll•a•Glide Compact only

Note: Full and half boxes are available to match painted coloured door curtains. Vandyke Brown boxes are supplied as standard for painted wood effect and laminated door curtains.



IMPORTANT NOTES

Doors with 70mm or 90mm guides are available with boxes. Doors with Half/Full boxes have 300/360mm aluminium/steel end plates.

Overall height

- Doors with 270 & 300mm endplates have cylindrical barrels and spring loaded locking straps. Doors with 360mm endplates have a continuous carrier strip that attaches the door curtain to a 102mm hexagonal barrel.
- Powder Coating of box includes end plates.

Guide Specification

67*/70/90

All powder coating prices are NET, not subject to discount.

30*/34/51

- Actual RAL colours and finish may vary slightly from the door curtain colours.
- Guides/head plates/box/vision slats are available to colour match the door colour (except laminated finishes, which are supplied in Vandyke Brown) The inside face of all laminate doors is Vandyke Brown.
- Please note that guides/head plates and bottom lath may vary in colour to the door curtain.
- Some bottom rail will be visible below the top of the opening when door is in the open position.


Deliverv

Price Includes delivery to Distributor premises on mainland UK. Delivery to site £40 per door.

Recommended Retail Price List Tel: 0191 518 0455 Fax: 0191 518 0548 Effective February 1st 2013 Pri

All Gliderol products are CE marked and built within ou audited ISO 9001 quality system:

www.samsondoors



Rosewood

Natural Oak Golden Oak Italian Oak

FITTING BETWEEN THE OPENING

the inside looking out (VILO)).

the narrowest measurement between the opening.

Dark Oak

If fitting between the opening the over guide width of the door should be

When calculating door prices use over guide width and guide height (if in

between sizes use the price of the next door size up). Motors may be fitted

to the left or right. Please state which side when ordering (as viewed from

Vandyke Brown Burgundy RAL 8014 RAL 3004

Ordering

PLEASE ORDER BY OVERGUIDE WIDTH AND GUIDE HEIGHT (on official order form). All Gliderol Roll-A-Glide doors are supplied with remote control operation with 2 handsets, a bottom rail safety edge, internal manual release and alarm buzzer as standard.

All Roll A Glide doors are ordered using the <u>guide height (GH)</u> and the <u>over guide width (OGW)</u>. The OGW is the opening width plus 136mm (width of the guides = 2×68 mm).

For technical specifications please see page 7.

IMPORTANT NOTES

• Doors are supplied with full box as standard and are supplied with 205mm aluminium head plates.

Pine

Mahogany

- Boxes/Guides/head plates are available to colour match the door colour (except laminated finishes, which
 are supplied in Vandyke Brown). The inside face of all laminate doors is Vandyke Brown.
- Powder Coating of box includes end plates.
- All powder coating prices are NET, not subject to discount.
- Actual RAL colours and finish may vary slightly from the door curtain colours.
- Please note that guides/head plates and bottom lath may vary in colour to the door curtain.
- Some bottom rail will be visible below the top of the opening when door is in the open position.

Delivery

www.samsondoors.co.uk

Price Includes delivery to Distributor premises on mainland UK. Delivery to site £40 per door.

Recommended Retail Price List Tel: 0191 518 0455 Fax: 0191 518 0548 Effective February 1st 2013 Prices in £ Sterling and Excluding VAT & Delivery



Delivery day depends on location. These lead times are a guide only and can fluctuate during peak order periods, please seek

confirmation.

0800 328 6250



marked and built within our

77mm

Lath

Roll•a•Glide Manual[®] Insulated Manual Roller Door

Roll•a•Glide Manual Insulated Roller Garage Door


| Half Box | | Over Guide Width | | | | | | | | | |
|--------------|-----------------|------------------|----------------|-----------------|-----------------|--|--|--|--|--|--|
| Guide Height | 1500mm 4'11″ | 2050mm 6'9" | 2550mm 8′4″ | 3050mm 10'0" | 3550mm 11′8″ | | | | | | |
| 1981mm | 805 | 885 | 910 | 980 | 1060 | | | | | | |
| 6' 6" | 966 | 1062 | 1092 | 1176 | 1272 | | | | | | |
| 2134mm | 855 | 915 | 970 | 1020 | 1140 | | | | | | |
| 7′ 0″ | 1026 | 1098 | 1164 | 1224 | 1368 | | | | | | |
| 2286mm | 900 | 985 | 1030 | 1190 | 1250 | | | | | | |
| 7′ 6″ | 1080 | 1182 | 1236 | 1428 | 1500 | | | | | | |
| 2438mm | 980 | 1075 | 1120 | 1225 | 1310 | | | | | | |
| 8'0" | 1176 | 1290 | 1344 | 1470 | 1572 | | | | | | |

| Full Box | Over Guide Width | | | | | | | | |
|--------------|------------------|----------------|----------------|-----------------|-----------------|--|--|--|--|
| Guide Height | 1500mm 4'11″ | 2050mm 6'9" | 2550mm 8′4″ | 3050mm 10′0″ | 3550mm 11′8″ | | | | |
| 1981mm | 927 | 1052 | 1117 | 1228 | 1348 | | | | |
| 6' 6" | 1088 | 1229 | 1299 | 1424 | 1560 | | | | |
| 2134mm | 977 | 1082 | 1177 | 1268 | 1428 | | | | |
| 7′ 0″ | 1148 | 1265 | 1371 | 1472 | 1656 | | | | |
| 2286mm | 1022 | 1152 | 1237 | 1438 | 1538 | | | | |
| 7′ 6″ | 1202 | 1349 | 1443 | 1676 | 1788 | | | | |
| 2438mm | 1102 | 1242 | 1327 | 1473 | 1598 | | | | |
| 8′0″ | 1298 | 1457 | 1551 | 1718 | 1860 | | | | |

Denotes Paint Finish Pricing Denotes Laminate Finish Pricing

Powder Coat

| Full Box | 60 | 60 | 60 | 60 | 60 | 60 |
|----------|----|----|----|----|----|----|
| Half Box | 40 | 40 | 40 | 40 | 40 | 40 |
| Guides | 40 | 40 | 40 | 40 | 40 | 40 |



Laminate finishes (woodgrain textured finish):



**Typical lead times for doors ordered by close of business on a Tuesday will delivered during the following week (1 week) or the second week following (2 weeks). Delivery day depends on location. These lead times are a guide only and can fluctuate during peak order periods, please seek confirmation.

Same price as standard painted finish.

FITTING BETWEEN THE OPENING If fitting between the opening the over

guide width of the door should be the narrowest measurement between

the opening. When calculating door prices use over guide width and guide

A Note Concerning Colours: Door guides are available in colours matching the door curtain except laminate door colours (supplied in brown). Coloured guide rails are supplied as standard, however they may not match the lath colour. The manufacturing process for the lath profile results in a textured finish, whilst all other coloured items (guides, bottom laths, lock laths, optional fascias and vision panels) are supplied in a satin finish so cannot be guaranteed to match exactly. Over time, some scuffing may occur on front and rear surfaces of doors as a result of their normal operation.

Ordering

ORDER BY OVERGUIDE WIDTH AND GUIDE HEIGHT (on official order form).

All Roll A Glide doors are ordered using the guide height (GH) and the over guide width (OGW). The OGW is the opening width plus 140mm (width of the guides = 2×70 mm).

For technical specifications please see page 7.

IMPORTANT NOTES

- Doors are supplied with half box as standard and are supplied with 300mm aluminium head plates.
- Guides/head plates are available to colour match the door colour (except laminated finishes, which are supplied in Vandyke Brown). The inside face of all laminate doors is Vandyke Brown.
- Powder Coating of box includes end plates.
- All powder coating prices are NET, not subject to discount.
- Actual RAL colours and finish may vary slightly from the door curtain colours.
- Please note that guides/head plates and bottom lath may vary in colour to the door curtain.
- Some bottom rail will be visible below the top of the opening when door is in the open position.

Delivery

Price Includes delivery to Distributor premises on mainland UK. Delivery to site £40 per door.

Tel: 0191 518 0455 Fax: 0191 518 0548 Recommended Retail Price List Effective February 1st 2013 Prices in £ Ste





Hampton

Oxford

| Safe•I Steel Panel See | ctional Ove | rhead Gara | - | Sec | tional | Overh | ngle Sl lead G | | Door | | | | | - | | ad Time** eek |
|--|------------------|------------------|-----------------|----------------|-----------------|-----------------|-------------------|----------------|----------------|---------------|---------------|---------------|------------------|----------------|------------------|------------------|
| Sizes | Stan | dard Op | pening \ | Nidth - | White a | nd Woo | odgrain | | | | | | | - | | |
| Opening Height mm | 2080mm 6' 10" | 2134mm 7' | 2286mm 7' 6" | 2438mm 8′ | 2591mm 8' 6" | 2743mm 9' | 2895mm 9' 6" | 3048mm 10' | 3353mm 11' | 3658mm 12' | 3962mm 13' | 4267mm 14′ | 4420mm 14' 6" | 4572mm 15' | 4724mm 15' 6" | 4877mm 16′ |
| 1800, 1820, 1840,1860 1880, 1900, 1920 1940 | 665 | 667 | 711 | 745 | 776 | 875 | 884 | 1005 | 1255 | 1388 | 1417 | 1554 | 1587 | 1594 | 1641 | 1711 |
| 2040, 2060, 2080, 2100 2120, 2140, 2160, 2180 | 915 | 924 | 979 | 1014 | 1037 | 1106 | 1131 | 1180 | 1455 | 1587 | 1616 | 1753 | 1788 | 1794 | 1841 | 1910 |
| 2250, 2270, 2290, 2310, 2330, 2350, 2370, 2390, | 837 | 855 | 741 | 769 | 961 | 1031 | 1056 | 1106 | 1355 | 1487 | 1517 | 1654 | 1687 | 1694 | 1741 | 1810 |
| 2410, 2430, 2450, 2470, 2490 | 1003 | 1012 | 1067 | 1126 | 1124 | 1192 | 1218 | 1268 | 1542 | 1675 | 1704 | 1841 | 1873 | 1881 | 1928 | 1999 |
| 2510, 2530, 2550, 2570, 2590, 2610, | 916 | 936 | 858 | 894 | 1054 | 1129 | 1156 | 1211 | 1484 | 1629 | 1661 | 1812 | 1848 | 1855 | 1907 | 1982 |
| 2630, 2650 2670, 2690, 2710, 2725 | 1140 | 1150 | 1209 | 1234 | 1273 | 1348 | 1375 | 1430 | 1730 | 1874 | 1907 | 2058 | 2093 | 2101 | 2154 | 2230 |
| 2745, 2760, 2780, 2800, 2820, 2840, 2860 | 985 | 985 | 1135 | 1053 | 1067 | 1148 | 1198 | 1450 | 1529 | 1627 | 1669 | 1744 | 1792 | 1833 | 1915 | 1978 |
| 2880, 2900, 2920, 2940, 2960, 2980 | 1169 | 1169 | 1206 | 1244 | 1258 | 1340 | 1395 | 1635 | 1750 | 1846 | 1888 | 1962 | 2011 | 2052 | 2134 | 2202 |
| | | | | | | | | i | | | | i | | | Lea | ad Time** |
| Sizes | Stan | dard Op | bening V | Nidth - | Coloure | d | 1 | | | 1 | | | 1 | 1 | (2 w | eeks |
| Opening Height mm | 2080mm 6′ 10″ | 2134mm 7' | 2286mm 7' 6" | 2438mm 8' | 2591mm 8' 6" | 2743mm 9' | 2895mm 9' 6" | 3048mm 10' | 3353mm 11' | 3658mm 12' | 3962mm 13' | 4267mm 14′ | 4420mm 14' 6" | 4572mm 15' | 4724mm 15' 6" | 4877mm 16′ |
| 1800, 1820, 1840,1860 1880, 1900, 1920 1940 2040, 2060, 2080, 2100 2120, 2140, 2160, 2180 | 699 | 701 | 747 | 783 | 815 | 919 | 929 | 1056 | 1318 | 1458 | 1488 | 1632 | 1667 | 1674 | 1724 | 1797 |
| 2250, 2270, 2290, 2310, 2330, 2350, 2370, 2390, 2410, 2430, 2450, 2470, 2490 | 879 | 898 | 779 | 808 | 1010 | 1083 | 1109 | 1162 | 1423 | 1562 | 1593 | 1737 | 1772 | 1779 | 1829 | 1901 |
| 2510, 2530, 2550, 2570, 2590, 2610, | | | | 939 | 1107 | 1186 | 1214 | 1272 | 1559 | 1711 | 1745 | 1903 | 1941 | 1948 | 2003 | 2082 |
| 2630, 2650 2670, 2690, 2710, 2725 | 962 | 983 | 901 | 323 | 1107 | | | | | | | | | | | |
| 2630, 2650 2670, 2690, | 962 1035 | 983 1035 | 901 | 1106 | 1121 | 1206 | 1258 | 1523 | 1606 | 1709 | 1753 | 1832 | 1882 | 1925 | 2011 | 2077 |
| 2630, 2650 2670, 2690, 2710, 2725 2745, 2760, 2780, 2800, 2820, 2840, 2860 2880, 2900, 2920, 2940, 2960, 2980 | 1035 | 1035 | 1192 | 1106 | 1121 | 1206 | | 1523 | 1606 | | 1753 | | 1882 | 1925 | 2011 | 2077 |
| 2630, 2650 2670, 2690, 2710, 2725 2745, 2760, 2780, 2800, 2820, 2840, 2860 2880, 2900, 2920, 2940, 2960, 2980 | 1035 Stan | 1035 dard Siz | 1192 ze Rang | 1106 e Embo | 1121 ssments | 1206 :/Windo | ws | | | | L | | | | | |
| 2630, 2650 2670, 2690, 2710, 2725 2745, 2760, 2780, 2800, 2820, 2840, 2860 2880, 2900, 2920, 2940, 2960, 2980 | 1035 | 1035 | 1192 | 1106 | 1121 | 1206 | | 1523 3 5 | 1606 3 5 | | | | 1882 4 7 | 1925 4 7 | 2011 4 7 | 2077 4 8 |

🔄 Denotes White Door Pricing 📃 Denotes Golden Oak and Rosewood Pricing 📃 Denotes Coloured Door Pricing

Above red line supplied with Extension Springs. Below red line supplied with Rear Mount Torsion Springs

Below blue line supplied with Front Mount Torsion Springs 🗧 🗍 Denotes not available in Hampton design

| Finish | | Door | Style | |
|---------------------|---------------|------------------|---------------|------------------|
| | Ox | ford | Ham | pton |
| Colour | Smooth Finish | Woodgrain Finish | Smooth Finish | Woodgrain Finish |
| White | • | • | • | • |
| Black | • | • | • | • |
| Anthracite | • | • | • | • |
| Racing Green | • | • | • | • |
| Vandyke Brown | • | • | • | • |
| Golden oak | • | | • | |
| Rosewood | • | | • | |

Lead Time** Lead Time** 1 week 2 weeks

**Typical lead times for doors ordered by close of business on a Tuesday will delivered during the following week (1 week) or the second week following (2 weeks). Delivery day depends on location. These lead times are a guide only and can fluctuate during peak order periods, please seek confirmation.

Wider doors available upon application. Available in woodgrain and smooth finish (please see table below).

Please note that in low head room situations clear opening heights may be less than specified on order.



10 www.samsondoors.co.uk

| www.sam | sondoor | rs.co.uk | | | | | 080 | 0 328 6 | 250 | Tus | scan | Мас | dison | WWW.Sa | amsondo | oors.co. | uk |
|---|------------------|---------------------------|-----------------|--------------|------------------|--------------|-----------------|---------------|---------------|---------------|---------------|---------------|------------------|---------------|------------------|------------------|--------------|
| Safe-T Steel Panel See | •Glic | je ® rhead Gara | ge Door | | e∙T•Gl tional | | | | Door | | | | | | | ad Time** eek |) |
| Sizes | Stan | dard Op | ening \ | Nidth - ' | White a | nd Woo | dgrain | | | | | | | | | | |
| Opening Height mm | 2080mm 6' 10" | 2134mm 7′ | 2286mm 7' 6" | 2438mm 8' | 2591mm 8' 6" | 2743mm 9' | 2895mm 9' 6" | 3048mm 10' | 3353mm 11' | 3658mm 12' | 3962mm 13' | 4267mm 14' | 4420mm 14' 6" | 4572mm 15′ | 4724mm 15' 6″ | 4877mm 16′ | |
| 1800, 1820, 1840,1860 1880, 1900, 1920 1940 | 581 | 595 | 640 | 667 | 690 | 746 | 761 | 804 | 1062 | 1177 | 1200 | 1314 | 1346 | 1350 | 1390 | 1448 | ы П |
| 2040, 2060, 2080, 2100 2120, 2140, 2160, 2180 | 698 | 714 | 768 | 801 | 828 | 896 | 914 | 965* | 1275* | 1413* | 1440* | 1577* | 1616* | 1620* | 1668* | 1738* | - 4 Panel |
| 2250, 2270, 2290, 2310, 2330, 2350, 2370, 2390, | 837 | 855 | 674 | 704 | 961 | 1031 | 1056 | 1106 | 1355 | 1487 | 1517 | 1654 | 1687 | 1694 | 1741 | 1810 | Ħ |
| 2410, 2430, 2450, 2470, 2490 | 1005 | 1026 | 809 | 845 | 1154 | 1238 | 1268 | 1328* | 1626* | 1785* | 1821* | 1985* | 2025* | 2033* | 2090* | 2172* | |
| 2510, 2530, 2550, 2570, 2590, 2610, | 916 | 936 | 674 | 704 | 1054 | 1129 | 1156 | 1211 | 1484 | 1629 | 1661 | 1812 | 1848 | 1855 | 1907 | 1982 | -5 Panel |
| 2630, 2650 2670, 2690, 2710, 2725 | 1100 | 1124 | 809 | 845 | 1265 | 1355 | 1388 | 1454* | 1781* | 1955* | 1994* | 2175* | 2218* | 2226* | 2289* | 2379* | |
| 2745, 2760, 2780, 2800, 2820, 2840, 2860 | 985 | 985 | 674 | 704 | 1067 | 1148 | 1198 | 1450 | 1529 | 1627 | 1669 | 1744 | 1792 | 1833 | 1915 | 1978 | Panel JL |
| 2880, 2900, 2920, 2940, 2960, 2980 | 1182 | 1182 | 809 | 845 | 1281 | 1378 | 1438 | 1740* | 1835* | 1953* | 2003* | 2093* | 2151* | 2200* | 2298* | 2374* | - 6 Pai |
| | | | | | | | | *Tusca | n only | | | | | | Le | ad Time** | |
| Sizes | Stan | dard Op | ening \ | Nidth - | Coloure | d | | | | | | | | Ī | (2 w | eeks | |
| Opening Height mm | 2080mm 6′ 10″ | 2134mm 7′ | 2286mm 7' 6" | 2438mm 8' | 2591mm 8′ 6″ | 2743mm 9' | 2895mm 9' 6" | 3048mm 10' | 3353mm 11' | 3658mm 12' | 3962mm 13' | 4267mm 14' | 4420mm 14' 6" | 4572mm 15′ | 4724mm 15' 6″ | 4877mm 16′ | |
| 1800, 1820, 1840, 1860 1880, 1900, 1920 1940 2040, 2060, 2080, 2100 2120, 2140, 2160, 2180 | 611 | 625 | 672 | 701 | 725 | 784 | 800 | 845 | 1116 | 1236 | 1260 | 1380 | 1414 | 1418 | 1460 | 1521 | |
| 2250, 2270, 2290, 2310, 2330, 2350, 2370, 2390, 2410, 2430, 2450, 2470, 2490 | 879 | 898 | 708 | 740 | 1010 | 1083 | 1109 | 1162 | 1423 | 1562 | 1593 | 1737 | 1772 | 1779 | 1829 | 1901 | |
| 2510, 2530, 2550, 2570, 2590, 2610, 2630, 2650 2670, 2690, 2710, 2725 | 962 | 983 | 708 | 740 | 1107 | 1186 | 1214 | 1272 | 1559 | 1711 | 1745 | 1903 | 1941 | 1948 | 2003 | 2082 | 5 Panel |
| 2745, 2760, 2780, 2800, 2820, 2840, 2860 2880, 2900, 2920, 2940, 2960, 2980 | 1035 | 1035 | 708 | 740 | 1121 | 1206 | 1258 | 1523 | 1606 | 1709 | 1753 | 1832 | 1882 | 1925 | 2011 | 2077 | L 6 Panel JL |
| Features | Stan | dard Siz | e Rang | e Embo | ssments | /Windo | ws | | | | | | | | | | |
| Tuscan/Madison | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 7 | 7 | 7 | 8 | 1 |

] Denotes White Door Pricing 🛛 Denotes Golden Oak and Rosewood Pricing 📃 Denotes Coloured Door Pricing

Above red line supplied with Extension Springs. Below red line supplied with Rear Mount Torsion Springs

Below blue line supplied with Front Mount Torsion Springs

| Finish | | Door | Style | |
|---------------|---------------|------------------|---------------|------------------|
| | Tus | can | Mac | lison |
| Colour | Smooth Finish | Woodgrain Finish | Smooth Finish | Woodgrain Finish |
| White | ٠ | • | | ٠ |
| Black | • | • | | • |
| Anthracite | • | • | | • |
| Racing Green | • | • | | • |
| Vandyke Brown | ٠ | • | | • |
| Golden oak | • | | • *** | |
| Rosewood | • | | •*** | |

Lead Time** 1 week 2 weeks

**Typical lead times for doors ordered by close of business on a Tuesday will delivered during the following week (1 week) or the second week following (2 weeks). Delivery day depends on location. These lead times are a guide only and can fluctuate during peak order periods, please seek confirmation.

Wider doors available upon application. Available in woodgrain and smooth finish (please see table below).

Please note that in low head room situations clear opening heights may be less than specified on order.

*** Panel deflections may be visible. Max width 2895mm



Delivery

Price Includes delivery to Distributor premises on mainland UK. Delivery to site £40 per door.

Recommended Retail Price List Tel: 0191 518 0455 Fax: 0191 518 0548 Effective February 1st 2013 Prices in £ Sterling and Excluding VAT & Delivery



Insul•Glide®

Sizes

Opening

Height mm

1800, 1980, 2030, 2080,

2130, 2180

2245, 2290, 2470, 2520

2570, 2620, 2670, 2720

42mm Insulated Steel Panel Sectional Overhead Garage Door

2134mm

7′

1013

1180

1099

1268

1224

1409

2080mm

6' 10"

1013

1180

1099

1268

1224

1409

Standard Opening Width - White and Woodgrain

2591mm

8' 6"

1132

1313

1221

1299

1307

1498

2438mm

8

1116

1300

1209

1391

1293

1484

2286mm

7' 6"

1082

1263

1186

1351

1272

1444

0800 328 6250

2895mm

9' 6"

1256

1438

1351

1533

1441

1635

2743mm

9'

1205

1387

1300

1482

1288

1581

Insul•Glide 42mm insulated Sectional Overhead Garage Door

3048mm

10'

1487

1669

1585

1761

1690

1874

3353mm

11'

1570

1777

1663

1868

1770

1989

3658mm

12'

1663

1871

1754

1963

1868

2087

www.samsondoors.co.uk Oxford

7

Lead T

48

1 wee

4724mm

15' 6"

1937

2146

2026

2234

2155

2374

][

30

716

4572mm

15'

1857

2064

1948

2157

2072

2291

4420mm

14' 6"

1820

2028

1910

2118

2032

2251

10

3962mm

13'

1698

1907

1793

2001

1909

2127

71 71

4267mm

14'

1774

1982

1865

2073

1983

2203

| 4877mm 16′ | |
|---------------|--------|
| 1995 | 9 |
| 2204 | 4 Pa |
| 2087 | _ |
| 2300 | - |
| 2218 | ů v |
| 2442 | |
| 2239 | |
| 2463 | ů v |

L 6 Panel L 4 Panel 5

| 2870, | 1245 | 1245 | 1296 | 1313 | 1327 | 1409 | 1459 | 1711 | 1790 | 1888 | 1929 | 2004 | 2053 | 2093 | 2176 | 2239 |
|--|------------------|--------------|-----------------|--------------|-----------------|--------------|-----------------|---------------|---------------|---------------|---------------|---------------|------------------|---------------|------------------|---------------|
| 2960 | 1430 | 1430 | 1466 | 1505 | 1519 | 1601 | 1656 | 1895 | 2011 | 2107 | 2148 | 2223 | 2272 | 2312 | 2395 | 2463 |
| | | | | 1 | | | | 1 | | | · · | 1 | | | 1.03 | d Time** |
| Sizes | Stan | dard Op | pening \ | Nidth - | Coloure | d | 1 | 1 | 1 | | | 1 | | 1 | | eeks |
| Opening Height mm | 2080mm 6′ 10″ | 2134mm 7' | 2286mm 7' 6" | 2438mm 8' | 2591mm 8' 6" | 2743mm 9' | 2895mm 9' 6" | 3048mm 10' | 3353mm 11′ | 3658mm 12' | 3962mm 13' | 4267mm 14′ | 4420mm 14' 6″ | 4572mm 15′ | 4724mm 15' 6" | 4877mm 16′ |
| 1800, 1980, 2030, 2080, 2130, 2180 | 1097 | 1097 | 1126 | 1161 | 1178 | 1254 | 1307 | 1547 | 1633 | 1730 | 1766 | 1845 | 1893 | 1932 | 2015 | 2075 |
| 2245, 2290, 2470, 2520 | 1189 | 1189 | 1314 | 1352 | 1366 | 1443 | 1496 | 1736 | 1849 | 1946 | 1984 | 2062 | 2110 | 2147 | 2232 | 2293 |
| 2570, 2620, 2670, 2720 | 1324 | 1324 | 1234 | 1258 | 1270 | 1352 | 1406 | 1649 | 1730 | 1825 | 1865 | 1940 | 1987 | 2026 | 2108 | 2171 |
| 2870, 2960 | 1347 | 1347 | 1406 | 1447 | 1351 | 1542 | 1595 | 1832 | 1943 | 2042 | 2082 | 2156 | 2203 | 2244 | 2324 | 2392 |
| | | | | | | | | | | | | | | | | |

| | | | | | | | | - | | | | | | | | |
|-----------|---------|----------|---------|--------|---------|---------|---------|--------|----------|-----|-------|----------|---------|-----------|----|---|
| Features | Stan | dard Siz | ze Rang | e Embo | ssments | /Windo | ws | | | | | | | | | |
| Hampton | 2 | 2 | 2 | 2 | 0 | 0 | 0 | 3 | 3 | 3 | 0 | 4 | 4 | 4 | 4 | 4 |
| Oxford | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 7 | 7 | 7 | 8 |
| Denotes \ | Nhite D | oor Pric | ing 🗌 | Den | otes Go | lden Oa | k and R | osewoo | d Pricin | g 📃 | Denot | es Colou | ured Do | or Pricir | ng | |

Above red line supplied with Extension Springs. Below red line supplied with Rear Mount Torsion Springs

Denotes not available in Hampton design Below blue line supplied with Front Mount Torsion Springs

| Finish | | Door | Style | |
|---------------------|---------------|------------------|---------------|------------------|
| | Oxt | ford | Ham | pton |
| Colour | Smooth Finish | Woodgrain Finish | Smooth Finish | Woodgrain Finish |
| White | ٠ | • | ٠ | • |
| Black | • | • | ٠ | • |
| Anthracite | • | • | • | • |
| Racing Green | ٠ | • | ٠ | • |
| Vandyke Brown | • | • | • | • |
| Golden oak | ٠ | | ٠ | |
| Rosewood | • | | • | |

ead Tir ead Time 2 weeks 1 week

**Typical lead times for doors ordered by close of business on a Tuesday will delivered during the following week (1 week) or the second week following (2 weeks). Delivery day depends on location. These lead times are a guide only and can fluctuate during peak order periods, please seek confirmation.

Wider doors available upon application. Available in woodgrain and smooth finish (please see table below).

Please note that in low head room situations clear opening heights may be less than specified on order.



Insul•Glide[®]

0800 328 6250

Madison Madison

Tuscan

uison

Wee

Sectional Overhead Garage Door

| 42mm Insulat | ed Steel Panel Sectional Overhead Garage Door | Sectional Overhead |
|--------------|---|--------------------|
| Sizes | Standard Opening Width - W | hite and Woodgrain |

| Sizes | Juli | uaru Op | Jenning v | width - | vviiite a | | uyrani | | | | . — | | | | | |
|---------------------------|------------------|--------------|-----------------|--------------|-----------------|--------------|-----------------|---------------|---------------|---------------|---------------|---------------|------------------|---------------|------------------|---------------|
| Opening Height mm | 2080mm 6′ 10″ | 2134mm 7' | 2286mm 7' 6" | 2438mm 8′ | 2591mm 8' 6" | 2743mm 9′ | 2895mm 9' 6" | 3048mm 10' | 3353mm 11′ | 3658mm 12' | 3962mm 13' | 4267mm 14′ | 4420mm 14' 6" | 4572mm 15' | 4724mm 15' 6" | 4877mm 16′ |
| 1800, 1980, | 924 | 924 | 926 | 983 | 985 | 1077 | 1138 | 1138 | 1361 | 1539 | 1584 | 1386 | 1512 | 1626 | 1655 | 1683 |
| 2030, 2080, 2130, 2180 | 1077 | 1077 | 1117 | 1119 | 1122 | 1253 | 1318 | 1318 | 1560 | 1771 | 1887 | 1875 | 1987 | 2036 | 2090 | 2123 |
| 2245, 2290, | 1099 | 1099 | 1140 | 1162 | 1174 | 1250 | 1299 | 1524 | 1599 | 1686 | 1724 | 1793 | 1836 | 1873 | 1948 | 2006 |
| 2470, 2520 | 1268 | 1268 | 1299 | 1337 | 1249 | 1425 | 1474 | 1693 | 1796 | 1887 | 1924 | 1993 | 2036 | 2074 | 2148 | 2211 |
| 2570, 2620, | 1224 | 1224 | 1006 | 1077 | 1307 | 1288 | 1441 | 1690 | 1770 | 1868 | 1909 | 1983 | 2032 | 2072 | 2155 | 2218 |
| 2670, 2720 | 1409 | 1409 | 1444 | 1484 | 1498 | 1581 | 1635 | 1874 | 1989 | 2087 | 2127 | 2203 | 2251 | 2291 | 2374 | 2442 |
| 2870, | 1245 | 1245 | 1296 | 1313 | 1327 | 1409 | 1459 | 1711 | 1790 | 1888 | 1929 | 2004 | 2053 | 2093 | 2176 | 2239 |
| 2960 | 1430 | 1430 | 1466 | 1505 | 1519 | 1601 | 1656 | 1895 | 2011 | 2107 | 2148 | 2223 | 2272 | 2312 | 2395 | 2463 |

| Sizes | Stan | dard Op | ening \ | Nidth - | Coloure | d | 1 | | | 1 | 1 | | 1 | 1 | | ad Time** eeks |
|--|------------------|--------------|-----------------|--------------|-----------------|--------------|-----------------|---------------|---------------|---------------|---------------|---------------|------------------|---------------|------------------|-------------------|
| Opening Height mm | 2080mm 6′ 10″ | 2134mm 7' | 2286mm 7' 6″ | 2438mm 8' | 2591mm 8′ 6″ | 2743mm 9' | 2895mm 9' 6" | 3048mm 10' | 3353mm 11' | 3658mm 12' | 3962mm 13' | 4267mm 14′ | 4420mm 14' 6″ | 4572mm 15′ | 4724mm 15' 6″ | 4877mm 16′ |
| 1800, 1980, 2030, 2080, 2130, 2180 | 961 | 961 | 964 | 1023 | 1025 | 1121 | 1184 | 1184 | 1416 | 1601 | 1648 | 1442 | 1573 | 1692 | 1722 | 1751 |
| 2245, 2290, 2470, 2520 | 1143 | 1143 | 1186 | 1209 | 1221 | 1300 | 1351 | 1585 | 1663 | 1754 | 1793 | 1865 | 1910 | 1948 | 2026 | 2087 |
| 2570, 2620, 2670, 2720 | 1273 | 1273 | 1047 | 1121 | 1360 | 1340 | 1499 | 1758 | 1841 | 1943 | 1986 | 2063 | 2114 | 2155 | 2242 | 2307 |
| 2870, 2960 | 1295 | 1295 | 1348 | 1366 | 1381 | 1466 | 1518 | 1780 | 1862 | 1964 | 2007 | 2085 | 2136 | 2177 | 2264 | 2329 |

| Features | Stan | dard Siz | ze Rang | e Embo | ssments | /Windo | WS | | | | | | | | | |
|----------------|------|----------|---------|--------|---------|--------|----|---|---|---|---|---|---|---|---|---|
| Tuscan/Madison | 3 | 3 | 3 | 4 | 4 | 4 | 4 | 5 | 5 | 6 | 6 | 7 | 7 | 7 | 7 | 8 |
| | | | | | | | | | | | | | | | | |

Denotes White Door Pricing 📃 Denotes Golden Oak and Rosewood Pricing 📃 Denotes Coloured Door Pricing

Above red line supplied with Extension Springs. Below red line supplied with Rear Mount Torsion Springs

Below blue line supplied with Front Mount Torsion Springs

| Finish | Door Style | | | | | |
|---------------------|---------------|------------------|---------------|------------------|--|--|
| | Tus | scan | Madison | | | |
| Colour | Smooth Finish | Woodgrain Finish | Smooth Finish | Woodgrain Finish | | |
| White | • | • | | • | | |
| Black | • | • | | • | | |
| Anthracite | • | • | | • | | |
| Racing Green | • | • | | • | | |
| Vandyke Brown | • | • | | • | | |
| Golden oak | • | | | | | |
| Rosewood | • | | | | | |



**Typical lead times for doors ordered by close of business on a Tuesday will delivered during the following week (1 week) or the second week following (2 weeks). Delivery day depends on location. These lead times are a guide only and can fluctuate during peak order periods, please seek confirmation.

Wider doors available upon application. Available in woodgrain and smooth finish (please see table below).

Please note that in low head room situations clear opening heights may be less than specified on order.

Colours Special order metallic colours too! White RL 9003 Golden Oak Rosewood Black Anthracite Vandyke Brown Racing Green RL 9011 Grey RAL 7016 RAL 8014 Racing Green RAL 9017 Gree Your Colour? Pick ang RAL colours Grey 9006 Grey 9007 Grey 9022 Options See page 14 See page 14 See page 14 See page 14

Delivery

Price Includes delivery to Distributor premises on mainland UK. Delivery to site £40 per door.

Recommended Retail Price List Tel: 0191 518 0455 Fax: 0191 518 0548 Effective February 1st 2013 Prices in £ sterling and Excluding VAT & Delivery All Gliderol products are CE marked and built within our audited ISO 9001 quality systems.

Panel•Glide[®] Insul•Glide 42mm insulated Sectional Overhead Garage Door Sectional Overhead Garage Door Safe•T•Glide Single Skin Sectional Overhead Garage Door Options WINDOW OPTIONS Oxford, Tuscan, Madison, Clear/Stippled £87 per window Hampton £101 per window NEW Round and square windows (stainless steel) £132 per window Traditional Traditional (Hampton) PARTER CARD Stainless steel glazing units. County (Hampton) County

 \rightarrow

Sunburst (Hampton)

Canterbury (Hampton)

 \leq

Horizon (Hampton)

Waterton (Hampton)

 $\rightarrow \rightarrow \rightarrow$

CHERT P

Cascade (Hampton)

AUTOMATION

 \leq Sunburst

Canterbury

Horizon

Watertor

Cascade

 \rightarrow

Glidermatic GTS 2000 remote auto operator chain drive (700N) £395 Glidermatic GTS Optima remote auto operator belt drive (1000N) £445 £35 Manual release Wireless digital entry key pad (wall mounted) £100 **OPTIONAL EXTRAS** T-bar handle lockset £26 Round handle set - cast aluminium in the following finishes: • Brushed Aluminium £99 Antique Bronze £99 • Chrome finish £99 Gold finish £99 £99 Black If fixing to side walls extension brackets can be supplied as "C" section up to 1350mm long £12 per length Punched right angle £24 per 3 metre lengths









Colour Matched Frames

T-bar Chrome effect

| COLOUR MATCHED FRAMES (can be supplied in Racing Green, Black or Vandyke Brown (white supplied as standard)) | |
|---|------|
| • Doors from 6'10" 2080mm wide up to and including 10' 3048mm wide up to and including 2490mm high | £140 |
| • Doors from 10' 3048mm wide up to and including 16' 4877mm wide up to and including 2490mm high | £205 |
| • Doors from 6'10" 2080mm wide up to and including 10' 3048mm wide from 2491mm high up to and including 3020mm high | £190 |
| • Doors from 10' 3048mm wide up to and including 16' 4877mm wide from 2491mm high up to and including 3020mm high | £255 |

Between Reveal & Fascias

| OPTIONS FOR DOORS FITTED BETWEEN THE REVEAL | |
|--|------|
| Between the reveal fitting kit (Stock colours including laminates) | £195 |
| Gap to ceiling fascia kit (Stock colours including laminates) | £85 |
| Renovation kit (Stock colours including laminates) | £135 |
| Door frame fascia kit (Stock colours including laminates) | £135 |
| Renovation kit (Stock colours including laminates) | £135 |

Colours: RAL and Special Order

Safe•T•Glide Matt finish - all RAL / BS colours. Complete doors. Front face only (per m²) Safe•T•Glide metallic paint finishes - RAL 9022, 9023, 9006 & 9007 Complete doors. Front face only (per m²) Insul•Glide Matt finish - all RAL / BS colours. Complete doors. Front face only (per m²) Insul•Glide metallic paint finishes - RAL 9022, 9023, 9006 & 9007 Complete doors. Front face only (per m²) Individual Door panels Front face only (per m²) Door frames (per linear metre)

Delivery

14

Price Includes delivery to Distributor premises on mainland UK. Delivery to site £40 per door.

For technical specifications please see page 15.

£30 net (not subject to discount)

£30 net (not subject to discount)

£42 net (not subject to discount)

£42 net (not subject to discount)


Recommended Retail Price List Tel: 0191 518 0455 Fax: 0191 518 0548 ffective February 1st 2013




£60 net

£25 net

lık



Fascias and fixing accessories



www.samsondoors.co.ul

0800 328 6250



Schedule of Manufacturer's Warranty Period

Gliderol Roller Doors - GlideRol A Door A & AA - Mini Roller Door - B Series Door - Roll A Glide - Roll A Glide Compact - Roll A Glide Manual 77

Gliderol Sectional Doors - Insul Glide - Safe T Glide

Gliderol Automation - Glidermatic RW1 Rol A Matic - IGDU Industrial - Glide A Tube - Glidermatic GTS 2000 - Glidermatic Optima

- Domestic/Residential use 10 years corrosion free on door panel excludes paint surface rubbing or fading. (GlideRol A Door Mini Roller door has 3 year total warranty cover).
- 1 year on the lock and face plate, spring, bottom roller, weatherseal and polyglide, if fitted by an authorised Gliderol Distributor or Gliderol Technician. 3 month warranty on spring tension.
- Industrial/Commercial use 1 year on the lock and face plate, spring, bottom roller, weatherseal and polyglide, if fitted by an authorised Gliderol Distributor or Gliderol Technician. 3 month warranty on spring tension

The manufacturer strongly recommends that all Gliderol products be serviced by an authorised Gliderol Distributor or Gliderol Technician every 12 months to ensure longevity of the products' life. Failure to do this may result in any warranty being invalid.

Warranties of 1 year transmitter handsets (transmitters must be kept in normal conditions of humidity and temperature), 2 years electrical, 5 years tubular motors, 6 years mechanical and 10 years paint finish apply to all Gliderol doors (except Mini Roller Doors see above).

Garage doors should be inspected upon installation and viewed in natural daylight (not direct sunlight) from a standard distance of 3 metres to view their overall appearance. From this distance the door panel should appear free from visible marks or distortion, stains, blemishes, indentations or scuffs.

Only marks visible from a distance of more than 3 metres will be considered under warranty.

PRODUCT WARRANTY CONDITIONS

Warranty Conditions

- 1. Subject to the under mentioned specific limitations and exceptions, the Manufacturer warrants all new doors, motors and electronic components of its manufacture to be free from defect in workmanship under normal use and service and further warrants all installation carried out by the Manufacturer or by its nominated installers to be free from defects and workmanship its obligations hereunder being limited to making good any such defect PROVIDED THAT notice of any claimed defect in material workmanship in or resulting from installation of any door shall have been given to the Manufacturer within the period from date of installation as prescribed in the schedule hereto.
- 2. This warranty does not apply to any defect, loss or damage arising or caused directly or indirectly by or as a result of;
 - Any masonry rendered or other surfaces cracking or collapsing during installation of the door.
 - (ii) Any defect or deterioration of timber including drying out after installation.
 - (iii) Any weakening or collapse of the structure to which the doors are affixed occurring any time after installation.
 - (iv) Any damage to or deterioration in the condition of the doors occurring in transit by customer nominated or appointed carrier or occurring after delivery and prior to installation.
 - Any defect (including defects in component parts or accessories) rising from or attributable to the failure to carry out normal preventive maintenance or adjustment.
 - To any additional defect damage or deterioration arising from or attributable to the operation of the door after it is known to be defective.
 - (vii) Any door being installed within 800 metres of the sea or other body of water of equivalent or greater salt concentration or in an area subject to industrial fall out.
 - (viii) Any fault or surge in customer's electricity supply.
 - (ix) The door striking an immovable object during travel.
 - (x) Garage doors should be inspected upon delivery and viewed in natural light (not direct sunlight) from a standard distance of 3 metres to view their overall appearance. From this distance the door panel should appear free from marks or distortion, stains, blemishes, indentations or scuffs. If any marks are only visible within 3 metres they will not be considered under warranty.
 - (xi) Over time, some scuffing may occur on front and rear surfaces of roller doors as a result of their normal operation, this does not affect performance and is not covered under the terms of the guarantee.
- (xii) The manufacturing of sectional door panels employs roll forming or pressing of the steel skin to create the ribbed or Georgian features. Inherent in this process is the introduction of stresses into the steel that 0800 328 6250 www.samsondoors.co.uk

may be visible when viewed at oblique angles or in strong direction light. Such distortions in no way affect the strength or performance of the door and do not form part of the warranty cover. Our manufacturing processes minimise these effects but may not eliminate them entirely. The door is considered to meet Gliderol's quality standard if no significant surface distortion can be seen when viewing a closed door from a central position at a distance of 3 metres under even light conditions. Strong directional light such as bright sunshine or car headlights may reveal minor distortions at such distances but are not part of the warranty cover.

- 3. Items excluded from warranty;
 - (i) Batteries (ii) Fuses
 - (iii) Globes
 - (iv) Sensitivity adjustments
 - (iiv) Minor factory repairs
- 4. While Gliderol doors are long lasting and hard wearing under normal conditions this warranty does not extend to inherent defects in steel or other material used in the manufacture. The Manufacturer will however, procure and assign to the customer the benefit of the warranty of the manufacturer of the steel or other material.
- 5. If Manufacturer has at request of customer procured painting, powdercoating or other surface application to its product this warranty does not extend to such painting, powder-coating or other surface application. For this purpose Manufacturer at all times acts as agent of customer. Manufacturer may as a service to the customer but without any legal obligation to do so, assist customer to obtain redress in respect of any defect.
- 6. The Manufacturer reserves the right to touch up on site the paint finish and or pre-painted surfaces on its range of garage doors but no responsibility will be taken for the possibility of any paint rubs, scuffing etc on the internal wash coat finish or external painted surface.
- 7. Proof of purchase MUST be provided to the manufacturer at time of warranty claim. If proof is not available any warranty may be invalid.

CONDITIONS OF SALE AND INSTALLATION

- (If installation carried out by Gliderol or an other installation company)
- 1. Manufacture of Gliderol Doors will not commence until accurate site measurements are available and can be checked.
- 2. Where Gliderol Doors are made to suit floor levels, lintel heights or opening sizes guaranteed by the customer, any departure from the given sizes will be the responsibility of the customer as will any costs involved in alteration of made-up Gliderol Doors.
- 3. Any delivery, and/or installation dates given are approximate only and the Manufacturer accepts no liability for delay from any cause whatsoever. If by any reason or Act of God, war, government or semi-government enactment, regulation or restriction, lock-out, strike, industrial dispute, fire, tempest, flood, failure or inability to obtain licenses, transport or materials or any other cause beyond the Manufacturer's control delivery or installation is delayed the Manufacturer may extend the time of delivery or installation or if the Manufacturer is unable to deliver or install, the contract shall be voidable at the Manufacturer's option with no right to either party for damage, loss, cost or expense
- 4. If these conditions of sale (which shall only be varied, modified or rescinded by written agreement executed by the Manufacturer) shall differ in any respect from the customer's acceptance or confirmation then these conditions shall prevail.
- 5. Any claim for damaged product must be made within 7 days of installation or delivery.
- 6. The Manufacturer may carry out installation or may nominate an accredited Installer Contractor to carry out the work. Installation is then a matter of separate contract with the Installer whose particulars is either provided in this quotation or will be provided upon confirmation by the customer. The Manufacturer has taken all reasonable care to ensure that any Installer Contractor nominated is competent, experienced and skilled in the installation of the Manufacturer's doors. The Manufacturer will at all times use its influence to ensure any installation complaint is dealt with promptly and resolved to the reasonable satisfaction of the customer. The customer's attention is also directed to the terms of the warranty above. However the manufacturer is not responsible or liable for any installers or contractors standard of workmanship and or ability to install any product or possible service issues thereafter
- 7. Installation by Gliderol or installer contractors covers only the installation if the door and not, unless specifically stated, and rectification of existing outof- square openings or removal of old doors and fittings or electricity of gas fittings or the like. Installation by Gliderol does not include the removal or taking away of old doors from the property or of disposing of such doors.
- 8. Whilst reasonable care will be taken while drilling and fixing, the Manufacturer and its Installers will not be responsible for the failure, from any cause whatsoever, of any masonry or rendered surfaces while drilling or fixing