

NEW
Three-dimensional glass designs



Aluminium Entrance Doors

Enjoy convenience and security for your home



The best choice for your home

Hörmann aluminium entrance doors



All Hörmann entrance door styles at a glance



45 TP/TC
Page 15



65 TP/TC
Page 19



75 TP/TC
Page 14



188 TP/TC
Page 38




40 TPP/TP
Page 29



62 TPP/TP/TC
Page 14



100
Page 39



100, MG 111
Page 21
// NEW



560 TP/TC
Page 15



650 TP/TC
Page 17



650-4 TP/TC
Page 17



667 TP/TC
Page 27



166 TPP/TP/TC
Page 19



173 TPP/TP/TC
Page 38



177 TPP/TP/TC
Page 19



185 TPP/TP/TC
Page 17



680 TP/TC
Page 14



697 TP/TC
Page 27



860 TP/TC
Page 15



221 TP/TC
Page 28



557 TPP/TP/TC
Page 35



558 TPP/TP/TC
Page 35



559 TPP/TP/TC
Page 15



565 TPP/TP
Page 33



222 TP/TC
Page 28



223 TP/TC
Page 28



224 TP/TC
Page 28



225 TP/TC
Page 28



582 TPP/TP
Page 29



583 TPP/TP
Page 25



585 TPP/TP
Page 23



586 TPP/TP
Page 25



Traffic white RAL 9016



Hörmann colour CH 703 (only as TP)



Decograin Golden Oak (only as TP)

The colours and surface finishes shown are subject to the limitations of the printing process and cannot be regarded as binding.

Some of the products and equipment details described and illustrated in this catalogue are not standard, but available for a surcharge depending on the equipment option.

Descriptions and pictures, information about the scope of delivery, equipment and colour correspond to the time of printing.

Subject to changes and errors.

Please contact your Hörmann Partner with reference to the current price list for specific door equipment.

All rights reserved. No part may be reproduced without our prior permission.



659 TPP/TP/TC
Page 27



675 TPP/TP/TC
Page 15



686 TPP/TP/TC
Page 19



689 TPP/TP/TC
Page 27

Versions:

TC TopComfort (see page 10)

TP TopPrestige (see page 11)

TPP TopPrestigePlus (see page 12)



100, MG 112
Page 21
// NEW



100, MG 113
Page 21
// NEW



100, MG 114
Page 21
// NEW



100, MG 115
Page 21
// NEW



100, MG 116
Page 21
// NEW



101
Page 39



110 TPP/TP/TC
Page 17



136 TPP/TP/TC
Page 19



140 TPP/TP/TC
Page 17



402 TPP/TP/TC
Page 26



413 TPP/TP/TC
Page 26



449 TPP/TP/TC
Page 26



551 TPP/TP/TC
Page 29



552 TPP/TP
Page 29



553 TPP/TP/TC
Page 35



554 TPP/TP
Page 35



555 TPP/TP/TC
Page 35



556 TPP/TP/TC
Page 35



566 TPP/TP
Page 33



567 TPP/TP
Page 33



568 TPP/TP
Page 31



569 TPP/TP
Page 31



570 TPP/TP
Page 31



571 TPP/TP
Page 31



572 TPP/TP
Page 31



579 TPP/TP
Page 29



581 TPP/TP
Page 29



587 TPP/TP
Page 25



588 TPP/TP
Page 25



589 TPP/TP
Page 25



590 TPP/TP
Page 25



591 TPP/TP
Page 23



592 TPP/TP
Page 23



593 TPP/TP
Page 23



594 TPP/TP
Page 23




595 TPP/TP
Page 23



693 TPP/TP/TC
Page 36




694 TPP/TP/TC
Page 15



861 TPP/TP
Page 36



866 TPP/TP/TC
Page 19



825/845/855
TPP/TP
Page 37



875/895/898
TPP/TP
Page 37

“A good reputation must be earned”.

(August Hörmann)

In keeping with the tradition started by the company's founder, the name Hörmann delivers brand name quality with extensive expertise. The family business has over 75 years of experience as a construction component specialist and sees itself as your partner from the very beginning of building and renovation projects. No surprise then, that Hörmann is one of Europe's most successful entrance door providers. All of this gives you a good feeling when you purchase a Hörmann entrance door.

Made in Germany

All entrance door components are developed and produced in-house at Hörmann. The in-house profile system and style panels, which are also designed and produced in-house, ensure that you receive an optimally matched, individual entrance door. Our highly qualified employees work intensively on new products, continual further developments and improvements to details. Patents and unique products on the market are the result of this. Quality you can depend on: tests under real conditions ensure mature series products with the reliable Hörmann quality.

Certified brand quality

CE mark in accordance to EN 14351-1

The CE mark confirms compliance with and observance of the principal requirements of the EC directives according to EN 14351-1 for all of our entrance doors.

Quality assurance system according to DIN EN 9001

Hörmann entrance door production is DIN EN 9001 certified. This is another proof of Hörmann's motto “Quality without compromise”.

Long-lasting. Guaranteed.

We are convinced of our products and our uncompromised quality assurance. That is why we issue a 10-year guarantee* on all Hörmann entrance doors.

* The complete warranty conditions can be found under: www.hormann.co.uk



Design overview	3
Your advantages	7
Availability	8
Security	12
Door styles	14
Entrance doors and garage doors matched to each other	36
Design programme for entrance doors and garage doors	38
Transom doors and letter boxes	39
Canopies	40
Colours	41
Security packages	42
Glass	44
Handles	46

For more information on aluminium entrance doors and other Hörmann quality products, visit www.hormann.co.uk.

A home should be beautiful, warm and safe

Hörmann entrance doors offer you all that



Choose from 3 different versions to create an individual look and enjoy the advantages of aluminium entrance doors compared to plastic and timber doors: aluminium entrance doors have a high acoustic and thermal insulation, provide a high level of security and do not require follow-up painting. The new versions are explained in detail on the following pages. All variants are of the highest quality, "Made in Germany".



Your advantage: Thermal insulation

All Hörmann aluminium entrance doors have high thermal insulation by means of their aluminium profile systems with thermal breaks and thus comply with the current energy savings regulation. This is confirmed by the low U values that we include individually with the order confirmation for every door. For all entrance door versions you can optionally order the thermal insulation package with additional PU foam filling in the frame. TopPrestigePlus doors are distinguished by the highest thermal insulation and are especially suited for fitting into **energy-efficient houses**. See page 10 for more information.



Your advantage: WK 2 security equipment

Hörmann entrance doors are now even more secure: with the WK 2 optional security equipment available at a surcharge. All entrance doors, transom lights and side elements from Hörmann provide this tested security.



Your advantage: Preferred colours

All Hörmann entrance doors are available in **11 equally-priced preferred colours**. More information on this can be found on page 41.



Your advantage: side elements and transom lights

To increase the brightness of your entrance area, all doors are available with side elements and transom lights. For many door styles you can also choose design glass side elements that were especially created to match the door style.

Your advantage: exclusivity

Many of the entrance door styles introduced in this catalogue are available from Hörmann only. These styles are marked "Only from Hörmann".



TopComfort entrance doors

The inexpensive standard version



TopComfort doors offer you equal degrees of design and functionality – the all-round profiles are precisely connected and mitred at the edges, creating a harmonic frame around the styled infill, which is precisely framed by the leaf profile (1). The view of the interior shows the door infill with rounded beads and the trim with a discreet grey seal (2).



Good thermal insulation

The 80-mm-thick profile system with thermal break and the 30-mm-thick infill ensure good thermal insulation. Depending on the style, we offer you TopComfort entrance doors with

a U-value of up to 1.4 W/(m²K). This allows you to save heating costs and enjoy a comfortable atmosphere at home.

Double thermal insulation glazing

Even with entrance door styles featuring large glazed areas you do not have to fear excessive energy loss. This is because the standard thermal insulation glazing offers you a compelling U_g-value as low as 1.1 W/(m²K).

Optimally fitted

The beautifully designed three-way hinges allow the TopComfort entrance door to be variably adjusted. This way, your entrance door is optimally sealed and falls smoothly and securely into its lock.



TopComfort with three-way adjustable hinges. Optionally available with concealed hinges (see page 10).



External view

Viewed from inside



TopPrestige entrance doors

The elegant leaf-overlapping version



External view

Viewed from inside

In the TopPrestige version, the infill design is mounted onto the leaf profile, thus appearing generous and elegant when viewed from the outside (1). Inside, it has a pleasing slim leaf profile without strips and without a visible seal (2).



External view



Viewed from inside

High thermal insulation

The glued composite construction of leaf and style infill of the TopPrestige versions offers you an entrance door with very high thermal insulation. Its thermal break profile system and the PU-foamed infill ensure that barely any heat escapes to the outside. Depending on the style, we offer you TopPrestige entrance doors with a U-value as low as 1.4 W/(m²·K).

Double thermal insulation glazing

With the TopPrestige entrance doors with large glazed areas, we offer you a version with the highest thermal insulation ratings. They give you the benefit of thermal insulation glazing as standard with a U_g-value of up to 1.1 W/(m²·K).

Created for comfort

The beautifully designed three-way hinges allow the TopPrestige entrance door to be variably adjusted. This way, you can always rely on the fact that your entrance door is optimally sealed and falls smoothly and securely into its lock.

Section view of TopPrestige



TopPrestige with three-way adjustable hinges. Optionally available with concealed hinges (see page 10).

TopPrestigePlus entrance doors

For additional thermal insulation and design

*The premium entrance door:
best thermal insulation
and design*



External view

TopPrestigePlus entrance doors offer you comfort at the highest level. This is because TopPrestigePlus versions are distinguished by an infill that overlaps the leaf on the outside (1) and inside (2). The flush-fitting interior door view is particularly well matched to your interior doors.



Viewed from inside

Benefit from thermal insulation that sets new standards.

TopPrestigePlus entrance doors feature an 80 mm thick profile system with thermal break and a 70 mm thick insulated style infill. With thermal insulation values of up to $1.1 \text{ W}/(\text{m}^2\cdot\text{K})$, they are especially suited for fitting into energy-efficient houses.

For your additional comfort: triple thermal insulation glazing

Enjoy triple glazing with a U_g -value of up to $0.7 \text{ W}/(\text{m}^2\cdot\text{K})$. Minimising heat losses saves energy and money.

Concealed hinges as standard

The hinges are concealed in the TopPrestigePlus version, i.e. they cannot be seen from the inside or outside – an elegant solution for your home. Since this hinge construction makes forced opening more difficult, the security bolt is omitted on the hinge side. The door leaves can be simply and easily adjusted. This way, you can close your entrance door comfortably and securely at all times.



Concealed hinges as standard in TopPrestigePlus entrance doors. Opening angle 110°



External view


Viewed from inside



Section view of TopPrestigePlus

Frame profiles

In addition to the standard frame profile, you can optionally choose from two decorative fascia frame versions



Frame profile Standard 70

The standard frame profile constitutes an almost flush surface with the door infill. On request, this is also available in a width of 110 mm e.g. for a more convenient and beautiful connection to the full thermal insulation or for fitting behind the opening.




Frame profile Standard 110



Fascia frame Rondo 70

The rounded frame profile adds a stylish touch to your entrance door, providing it with a particularly harmonious look with its rounded edges. The fascia frame Rondo 70 is available as standard with the entrance doors in Decograin Golden Oak.



Fascia frame Caro 70

This version has an attractive and distinguished look that upgrades the appearance of your door through the added depth appearance of the frame. For the door styles with Design handles this type of profile underlines the flush fit of the handle and the frame. We recommend using the Caro 70 fascia frame only in combination with the security package H-5 Comfort Scan, Plus or Code, to open the door easily.

Better to play it safe

Hörmann entrance doors are an excellent choice up to the most minute detail



5-point automatic lock with automatic locking as standard

The H-5 automatic lock is a mechanical, self-locking multiple lock. The lock engages as soon as the entrance door is pushed into the latch. When locking, 3 steel hooks with 2 additional bolts pivot into the stainless steel lock plates to automatically lock the door. This self-lock function can be switched off. To open the door, either use the lever handle or open it with a key.

Further options: child safety / holiday function, where the door is double locked with the key. The lever handle does not function anymore, so the lock can no longer be opened with it.

Variably adjustable: Hörmann electric door strikes (optional)

The electric door strike works when the door isn't locked and the automatic self-locking is switched off. The electric strike releases the door following an electrical impulse (door intercom). By actuating the electric strike's day / night lever and at the same time switching off the H-5 automatic lock, the entrance door can be opened by a slight push from the outside.



2

Switch lever

to optionally switch off the automatic self-locking function. This makes it possible to open the door using a Hörmann electric door strike.

Solid security bolt

A stainless steel bolt engages during locking with the fascia frame. This way, it protects the door on the hinge side from being leveraged or pushed in. The security bolt is omitted with concealed hinges (standard feature with TopPrestigePlus) since this hinge construction makes forced opening more difficult.



Solid security bolt



Threshold with thermal break

Extremely robust, 80 mm thick and offering thermal insulation – the entrance door threshold with thermal break and concealed bolting to the bottom. In EV1 silver coloured.



Threshold with thermal break

Standard 5-point automatic lock



Aluminium lever handle Rondo



Stainless steel lever handle Caro



Stainless steel lever handle Okto



Security rose escutcheon in white



Profile cylinder with keys



Knob cylinder

Beautifully shaped interior lever

As standard, all doors are equipped with the interior lever Rondo, stove-enamelled in white. Optionally, it is also available in stainless steel or your choice of RAL as well as the versions Caro or Okto, also in stainless steel.

Beautifully shaped security rose escutcheon

These protect the profile cylinder from being drilled open and twisted off. Available as standard in Traffic white RAL 9016 or in stainless steel for the surface finishes Decograin Golden Oak, doors in preferred colours and RAL to choose.

Secure profile cylinder

With emergency and hazard function, i.e. the door lock can still be operated when the key is inserted on the inside in accordance with DIN 1030 / DIN 18252. As standard with 5 reversible keys.

Optional thumb turn cylinder

for closing the door conveniently from inside without a key.

Discover your new entrance door

And a programme that offers you a lot of options



▲ **Style 680** TopPrestige in preferred colour Window grey RAL 7040 with side elements (optional) and security package H-5 Comfort Scan (optional)



Style 680 TopPrestige in Traffic white RAL 9016.



Style 62 TopPrestige in Traffic white RAL 9016.



Style 75 TopComfort in Traffic white RAL 9016.



Style 45 TopPrestige
in Traffic white RAL 9016.



Style 860 TopPrestige
in Traffic white RAL 9016.



▲ **Style 45-5** TopPrestige
in the Hörmann colour CH 703,
with side elements 45-5 MG(optional).



Style 675 TopPrestige
in Traffic white RAL 9016,
with fascia frame Rondo 70
(optional).



Style 694 TopPrestige
in Traffic white RAL 9016.



▲ **Style 860** TopPrestige
in Hörmann colour CH 703,
with side element (optional).



Style 559 TopPrestige
in Traffic white RAL 9016,
with fascia frame Rondo 70
(optional).



Style 560 TopPrestige
in Traffic white RAL 9016,
with fascia frame Rondo 70
(optional).

Straight shapes for an attractive appearance

For an individual look





Style 110 TopPrestige in Traffic white RAL 9016, with fascia frame Rondo 70 (optional).



Style 140 TopPrestige in Traffic white RAL 9016, with fascia frame Rondo 70 (optional).



Style 185 TopPrestige in Traffic white RAL 9016.



Style 650 TopPrestige in Traffic white RAL 9016, with fascia frame Rondo 70 (optional).



Style 650-4 TopPrestige in Traffic white RAL 9016, with fascia frame Rondo 70 (optional).

Design 650-4

Aligned with the micro-profiled surface finish for Hörmann sectional garage doors

Micrograin surface finish for sectional garage doors

Ornament micrograin glazing for entrance door design 650-4



▲ **Style 650-4** TopPrestige in the Hörmann colour CH 703, with fascia frame Rondo 70 (optional).

Updated look

A new entrance door upgrades your home





Style 136 TopPrestige in Traffic white RAL 9016, with fascia frame Rondo 70 (optional).



Style 166 TopPrestige in Traffic white RAL 9016, with fascia frame Rondo 70 (optional).



▲ **Style 65** TopPrestige in Decograin surface Golden Oak, with side element 65 MG Golden Oak.



Style 65 TopPrestige in Traffic white RAL 9016.



Style 177 TopPrestige in Traffic white RAL 9016.



Style 686 TopPrestige in Traffic white RAL 9016.



Style 866 TopPrestige in Traffic white RAL 9016.

◀ **Style 686** TopPrestige in the preferred colour Window grey RAL 7040, with side elements (optional).

Three-dimensional glass designs

A visually elegant solution for more light



▲ Design glass MG 116 door profile in Hörmann colour CH 703, stainless steel handle 38-2 (optional, at no surcharge).



Elegance in detail: the different glass structures at various levels
(Note on glazing design MG 113)

NEW


Style 100 with design glass MG 111
door profile in Anthracite RAL 7016, stainless steel handle 38-2 (optional, at no surcharge).



Style 100 with design glass MG 112
door profile in Hörmann colour CH 607, stainless steel handle 38-2 (optional, at no surcharge).



Style 100 with design glass MG 113
door profile in Traffic white RAL 9016, stainless steel handle 38-2 (optional, at no surcharge).



Style 100 with design glass MG 114
door profile in white aluminium RAL 9006, stainless steel handle 38-2 (optional, at no surcharge).



Style 100 with design glass MG 115
door profile in Slate grey RAL 7015, stainless steel handle 38-2 (optional, at no surcharge).



Style 100 with design glass MG 116
door profile in Hörmann colour CH 703, stainless steel handle 38-2 (optional, at no surcharge).

Style 100

Handle on leaf profile, thermal insulation glass

Design glass MG 111

Thermal insulation glass, exterior laminated safety glass with 7 sandblasted stripes, centre single-pane safety glass Parsol grey sandblasted with 7 continuous clear stripes, interior clear laminated safety glass

Design glass MG 112

Thermal insulation glass, exterior sandblasted laminated safety glass with clear rectangle, centre micrograin with horizontal structure, interior clear laminated safety glass.

Side element MG 112

Thermal insulation glass, exterior laminated safety glass, centre micrograin with horizontal structure, interior laminated safety glass

Design glass MG 113

Thermal insulation glass, exterior laminated safety glass with 25 sandblasted stripes, centre single-pane safety glass Stopsol grey, with sandblasted stripes, interior clear laminated glass

Design glass MG 114

Thermal insulation glass, exterior sandblasted laminated safety glass with 4 clear circles and 8 clear stripes, centre single-pane safety glass Stopsol grey with 4 sandblasted half-circles, interior clear laminated safety glass.

Side element MG 114

Thermal insulation glass, exterior float glass sandblasted with 4 clear stripes, centre and interior laminated safety glass

Design glass MG 115

Thermal insulation glass, exterior laminated safety glass sandblasted with clear rectangle, centre Ornament 553 sandblasted with 5 clear rectangles and 6 half-sandblasted rectangles, interior clear laminated safety glass.

Side element MG 115

Thermal insulation glass, exterior float glass sandblasted with 5 clear stripes, centre and interior laminated safety glass.

Design glass MG 116

Thermal insulation glass, exterior laminated safety glass with sandblasted rectangles, centre Reflo with sandblasted crescent and 8 sandblasted stripes, interior clear laminated safety glass.

Side element MG 114

Thermal insulation glass, exterior float glass sandblasted with 8 clear stripes, centre and interior laminated safety glass.

The exclusive Hörmann colour CH 607

An ideal match for dark-brown window elements





Style 585 TopPrestige in Traffic white RAL 9016, and colour embellishment in Graphite black RAL 9011.



Style 592 TopPrestige in Traffic white RAL 9016, and colour embellishment in Graphite black RAL 9011.



Style 595 TopPrestige in Traffic white RAL 9016, and colour embellishment in Graphite black RAL 9011.



Style 593 TopPrestige in Traffic white RAL 9016, and colour embellishment in Graphite black RAL 9011.



Style 594 TopPrestige in Traffic white RAL 9016, and colour embellishment in Graphite black RAL 9011.

A different colour has a different effect



Style 591 TopPrestige in Traffic white RAL 9016, and colour embellishment in Graphite black RAL 9011.



Style 591 TopPrestige in preferred colour White aluminium RAL 9006 and colour embellishment in Anthracite grey RAL 7016.



▲ **Style 591** TopPrestige in Hörmann colour CH 703 and colour embellishment in Ruby red RAL 3003.

The eye-catching entrance door

With contrasting colours and straight shapes





Style 586 TopPrestige
in Traffic white RAL 9016,
and colour embellishment
in Graphite black RAL 9011.




Style 587 TopPrestige
in Traffic white RAL 9016,
and colour embellishment
in Graphite black RAL 9011.



Style 583 TopPrestige
in Traffic white RAL 9016,
and colour embellishment
in Graphite black RAL 9011.



Style 589 TopPrestige
in Traffic white RAL 9016,
and colour embellishment
in Graphite black RAL 9011.




Style 588 TopPrestige
in Traffic white RAL 9016,
and colour embellishment
in Graphite black RAL 9011.



Style 590 TopPrestige
in Traffic white RAL 9016,
and colour embellishment
in Graphite black RAL 9011.

◀ **Style 586** TopPrestige in Hörmann colour CH 703 and colour embellishment in Salmon pink RAL 3022, with side elements (optional).



▲ Glass handle 870 for style 586

▼ HÖ 153 stainless steel handle for style 586



For the comfort of young and old

A Hörmann entrance door is secure and looks good



▲ Style 449 TopPrestige in Traffic white RAL 9016.



Style 449 TopPrestige in Traffic white RAL 9016.



Style 402 TopPrestige in Traffic white RAL 9016.



Puts a sparkle in your eye
 Discover the elegant combination of partially sand-blasted and fluted glass. The particularly attractive appearance and classic look are certain to convince you.



Show your good taste
 Enjoy a comfortable, individual look with semi-transparent and elegant frosted glass appearance. This allows you to convey your discerning style at your doorstep.



Style 413 TopPrestige in Traffic white RAL 9016.



Style 697 TopPrestige
in Traffic white RAL 9016,
with fascia frame Rondo 70 (optional).



Style 667 TopPrestige
in Traffic white RAL 9016,
with fascia frame Rondo 70 (optional).



Style 659 TopPrestige
in Traffic white RAL 9016.



Style 689 TopPrestige
in Traffic white RAL 9016.

▲ **Style 659** TopPrestige
in preferred colour Anthracite RAL 7016,
with side elements 659 MG (optional).
Sectional garage door LPU 40,
L-ribbed in Anthracite RAL 7016.



▲ **Style 667** TopPrestige
in Traffic white RAL 9016,
with side elements 667 MG (optional).

Glass for an individual touch

Looks beautiful and lets light into the house



▲ **Style 224** TopComfort
in Hörmann colour CH 703, with side element (optional).



Style 221 TopComfort
in Traffic white RAL 9016.



Style 222 TopComfort
in Traffic white RAL 9016.



Style 223 TopComfort
in Traffic white RAL 9016.



Style 224 TopComfort
in Traffic white RAL 9016.




Style 225 TopComfort
in Traffic white RAL 9016.



Style 551 TopPrestige
in Traffic white RAL 9016,
with fascia frame Rondo 70 (optional).



Style 40 TopPrestige
in Traffic white RAL 9016,
with fascia frame Rondo 70 (optional).



Style 581 TopPrestige
in Traffic white RAL 9016.



Style 552 TopPrestige
in Traffic white RAL 9016,
with fascia frame Rondo 70 (optional).



Style 579 TopPrestige
in Traffic white RAL 9016,
with fascia frame Rondo 70 (optional).



Style 582 TopPrestige
in Traffic white RAL 9016,
with fascia frame Rondo 70 (optional).



▲ **Style 551** TopPrestige
in the preferred colour Moss green RAL 6005,
with side elements (optional).



▲ **Style 581** TopPrestige
in Hörmann colour CH 703,
with side element (optional).

The exclusive line of Design handles

Entrance doors with perfectly matched Design handles



Persuasive elegance: Design handles in 3 colours and in RAL to choose

Our line of Design handles includes a total of eight entrance door styles, each with a perfectly matched, door-high Design handle. You have a choice of 5 styles with **Design handles** and 3 styles with **DesignPlus handles** for even more design possibilities. They are not only convenient, but also look very elegant.



Handle in Traffic white RAL 9016.



Handle in aluminium EV1.



Handle in Hörmann colour CH 703



Handle in RAL to choose.
(Shown in Ruby red RAL 3003)



Style 568 TopPrestige in Traffic white RAL 9016, with fascia frame Rondo 70 (optional).



Style 569 TopPrestige in Traffic white RAL 9016, with fascia frame Rondo 70 (optional).



Style 570 TopPrestige in Traffic white RAL 9016, with fascia frame Rondo 70 (optional).



▲ **Style 572** TopPrestige in Hörmann colour CH 703 Anthracite, **Design handle G 750** in aluminium EV 1, with coupled side element (optional with special glazing).



Style 571 TopPrestige in Traffic white RAL 9016, with fascia frame Rondo 70 (optional).



Style 572 TopPrestige in Traffic white RAL 9016, with fascia frame Caro 70 (optional).

All shown handles in EV1.

The individual DesignPlus handle series

With additional handle embellishment

Individual style: the DesignPlus handle G 760



Handle in Traffic white RAL 9016,
handle embellishment
in Hörmann colour CH 703.



Handle in aluminium EV1,
handle embellishment
in Hörmann colour CH 703.



Handle in Hörmann colour CH 703,
handle embellishment
in Hörmann colour CH 703.



Handle in RAL to choose
(shown in Ruby red RAL 3003),
handle embellishment
in Hörmann colour CH 703.

Variable handle embellishments for additional design options



Handle embellishment
in Traffic white RAL 9016,
handle in Hörmann colour CH 703



Handle embellishment
in aluminium EV1,
handle in Hörmann colour CH 703



Handle embellishment
in Hörmann colour CH 703,
handle in Hörmann colour CH 703



Handle embellishment in RAL
to choose (shown in Ruby red
RAL 3003)
handle in Hörmann colour CH 703



Handle embellishment in Decograin
night oak, dark, intense oak design,
handle in Hörmann colour CH 703




Handle embellishment in decograin
dark oak walnut-coloured oak
design,
handle in Hörmann colour CH 703



Handle embellishment in decograin
rosewood mahogany-coloured
timber design,
handle in Hörmann colour CH 703



Handle embellishment decograin
Golden oak medium brown,
golden yellow oak design,
handle in Hörmann colour CH 703



Handle embellishment in decograin
light oak, light, warm oak design,
handle in Hörmann colour CH 703



▲ **Style 565 TopPrestige**
in Hörmann colour CH 703 Anthracite, **DesignPlus handle G 760** in EV 1,
handle embellishment in signal orange RAL 2012, with fascia frame Caro 70 (optional).



Style 565 TopPrestige
in Traffic white RAL 9016,
with fascia frame Rondo 70
(optional).



Style 566 TopPrestige
in Traffic white RAL 9016,
with fascia frame Rondo 70
(optional).



Style 567 TopPrestige
in Traffic white RAL 9016,
with fascia frame Rondo 70
(optional).

All shown handles and handle embellishments in EV1.

Particularly distinguished glass

Fluted and sand-blasted





Style 553 TopPrestige in Traffic white RAL 9016, with fascia frame Rondo 70 (optional).



Style 558 TopPrestige in Traffic white RAL 9016, with fascia frame Rondo 70 (optional).



Style 554 TopPrestige in Traffic white RAL 9016, with fascia frame Rondo 70 (optional).



Style 555 TopPrestige in Traffic white RAL 9016, with fascia frame Rondo 70 (optional).



Style 556 TopPrestige in Traffic white RAL 9016, with fascia frame Rondo 70 (optional).



Style 557 TopPrestige in Traffic white RAL 9016, with fascia frame Rondo 70 (optional).



▲ **Style 557** TopPrestige in the Hörmann colour CH 703, with side elements and fascia frame Rondo 70 (optional).



▲ **Style 553** TopPrestige in the Hörmann colour CH 607, with side elements 553 MG and fascia frame Rondo 70 (optional).

◀ **Style 554** TopPrestige in Traffic white RAL 9016, with side elements and fascia frame Rondo 70 (optional).

Powerful overall impression

Entrance door and garage door matched to each other



▲ **Style 845** TopPrestige in Traffic white RAL 9016, with side element and sectional garage door LPU 40, M-ribbed, Silkgrain in Traffic white RAL 9016.



Style 693 TopPrestige in Traffic white RAL 9016.



Style 861 TopPrestige in Traffic white RAL 9016, with fascia frame Rondo 70 (optional).




Design 861 Golden Oak TopPrestige in Decograin surface Golden Oak, with fascia frame Rondo 70 as standard.

After exact on-site measurement, your Hörmann specialist dealer will offer expert advice in choosing the perfect overall look from these entrance door styles.

Perfectly matched: Entrance door styles and sectional garage doors, M or L-ribbed

The large Hörmann matching programme provides you with aligned entrance door and garage door ribbing options for a matching appearance. The result: No optical offset from the base line. You will see: The beauty of your home is reflected in these small but crucial details.



TopPrestige entrance doors:
Style 875 TP
Style 895 TP
Style 898 TP

Sectional garage doors, L-ribbed:
with a door height of 2000 mm
with a door height of 2125 mm
with a door height of 2250 mm




TopPrestige entrance doors:
Style 825 TP
Style 845 TP
Style 855 TP

Sectional garage doors, M-ribbed:
with a door height of 2000 mm
with a door height of 2125 mm
with a door height of 2250 mm



Entrance door infill cross-section



Sectional garage door cross-section

Matched entrance and garage doors

The cross-section of the entrance door and garage doors clearly shows the ribbed look is a result of the grooves in the infill. In the garage door, it comes from the ribbing of the individual sections or the section transitions.

**Quick and clean within a single day
Entrance door modernisation:
Professional and competent**



Removal

The renovation of an entrance door is a routine task for Hörmann professionals, which they can handle quickly and cleanly on a single day. The measurement at your home and the selection of the new door is soon followed by the modernisation process. Step 1: Your old door is professionally and cleanly dismantled and disposed of in an environmentally-friendly manner.



Fitting

Step 2: The new Hörmann entrance door is fitted by the authorised Hörmann partner according to the measurements. The special entrance door threshold neatly covers up the transitions from the interior to the exterior. The threshold is fixed to the ground by concealed screws.



Adjustment


Step 3: The Hörmann fitter precisely adjusts the entrance door during fitting allowing you to enjoy your new door for a long time. This ensures the optimal functioning of your Hörmann entrance door right from the start.

The Hörmann Design programme


Garage door and entrance door combined harmoniously with glass and stainless steel elements



▲ **Style 173** TopPrestige in Traffic white RAL 9016, with side element (optional).



Sectional garage door **style 453** in Traffic white RAL 9016.



Style 173 TopComfort in Traffic white RAL 9016.



Sectional garage door **style 457** in Traffic white RAL 9016.



Style 188 TopPrestige in Traffic white RAL 9016.

Ideally suited for blocks of flats

Variable side elements, transom lights, letter box systems



▲ **Style 100** in Anthracite grey RAL 7016, with side elements and letter box system (optional).

Clever combination: Expand your entrance door according to your wishes

Styles 100 and 101 are available with different side elements, transom lights and horizontal rails.

Perfectly attuned to your wishes:

Letter box systems

Hörmann can furnish you with the letter box system to suit your taste and the number of flats. Letter box systems and letter drops are available with bell buttons, light switches and intercom mesh, all with high-grade stainless steel covers and with a thermally insulated aluminium panel infill plate for simple mounting without extensive brickworks.



Style 100
in RAL 9016 Traffic white



Style 101
in RAL 9016 Traffic white

Well thought out: Hörmann canopies

An attractive look and protection in any kind of weather

Style 105

Stainless steel canopy as shown on the right, including acrylic glass, dimensions 1600 × 900 mm (dimensions 2000 × 1000 mm) side fascia in stainless steel, single-pane safety glass, height 2000 mm, depth 900 mm (top)



Style 405

Aluminium canopy in Traffic white RAL 9016, including acrylic glass, dimensions 2000 × 1000 mm.



Style 505

Aluminium canopy in Traffic white RAL 9016, including acrylic glass, dimensions 2000 × 1000 mm.



Style 605

Aluminium canopy in Traffic white RAL 9016, including acrylic glass, dimensions 2000 × 1000 mm.




Style 605 CH 703

Aluminium canopy in Hörmann colour CH 703, including acrylic glass, dimensions 2000 × 1000 mm.




Full range of colours for you


To match your entrance door to your home




Hörmann colour CH 703 Anthracite, structured




Hörmann colour CH 607, Chestnut, structured




RAL 9016 M Traffic white, matt




RAL 9006 White aluminium, silk-gloss




RAL 8028 Terra brown, matt




RAL 7040 Window grey, matt




RAL 7016 Anthracite grey, matt




RAL 7015 Slate grey, matt



RAL 6009 Fir green, matt



RAL 6005 Moss green, matt



RAL 3003 Ruby red, matt

You have a free choice of colours for your new Hörmann entrance door. Match the door to the exterior facade of your home or use a contrasting colour. Select one of equally-priced preferred colours or any RAL colour. You can also select the interior side of your new entrance door. Ask your specialised Hörmann dealer about delivery times and price of the style and colour of your choice.

Select one of 11 equally-priced preferred colours for a surcharge

Colour coating on both sides

All Hörmann entrance doors in standard Traffic white RAL 9016 are powder-coated on the inside and outside. Entrance doors in 11 preferred colours are powder-coated on the outside. (Inside in Traffic white RAL 9016, high gloss as standard). On request, entrance doors can be colour-coated on both sides, even in different colours.


Colour in line with your individual wishes

Besides our 11 equally-priced preferred colours, you can also choose an entrance door in any of the RAL colours (signal and pearl-effect colours on request). Pick the colour that best fits your home!



Shades matching Hörmann garage doors

Each entrance door also has a Hörmann garage door in a matching shade. For more information, ask your Hörmann specialist dealer.



Dark colours should be avoided if the aluminium entrance door is exposed to the sun, as a possible deformation of the leaf may impair door function and leaktightness.

Securing excellent properties

Highest protection matched with convenient operation

You can equip your door with intelligent technology for increased comfort and security beyond the standard security equipment. Hörmann offers you the latest options ranging from mechanical locking with the S-3 S security package to electronic locking with the S-5 Comfort package and convenient access control using fingerprints. Consult your Hörmann partner for more information about these options.

TIP:

The S-5-Automatic / comfort locks have been tested and certified by the VDS (German Property Insurance Association). This means that the self-locking doors are considered locked / bolted in case of a break-in, maintaining your claims towards your property insurance.





Graduated increased security

Hörmann offers you various security packages providing graduated additional security and comfort.

Secure opening with an integrated steel bar:

The **S-3 S** security package features 2 bolts and a steel bar integrated in the lock. It allows you to open the door only slightly so that strangers are unable to push the door open completely. This security package is also available with an automatic lock (**S-5 S Automatic**) which mechanically locks your entrance door when it is pulled shut (with 4 bolts).

Automatic locking – convenient opening:

The **S-5 Comfort** security packages feature an automatic lock that secures the door with 5 hook bolts when pulled shut. When opening via one of the control element options (internal push button, hand transmitter, etc.), an integrated motor releases the lock and the door can be easily opened. Of course you can continue to unlock the door with a key.



1 Push button opening:

With **S-5 Comfort**, your entrance door can be opened at the push of a button from the inside, e.g. via the house intercom. This is especially suited for blocks of flats.

2 By entering a code:

With **H-5 Comfort Code**, you open your door from the outside by entering a code. The elegant code switch CTV 1 / CTV 3 with one or three functions is especially robust and protected against vandalism.



3 Via finger print:

S-5 Comfort Scan opens your door with a finger scanner. You and your family will no longer need a key. Up to 100 fingerprints can be learned on the scanner, simply and without a computer. By the way, you can also equip your Hörmann garage door with this technology.


H-5 Comfort Scan with EC-Turn

Unlocks your entrance door and opens the door using an operator. This package is especially suitable for barrier-free home entrances.



A variety of glazing options

Based on your personal preferences



Ornament Micrograin

Each glass type has a different look depending on colour, structure and finish. In addition to the glass types we suggested in the catalogue images, you may choose from any other glass type according to your own personal preference and wish for your new Hörmann entrance door. You will find an overview of the most popular glass types here. Your specialised Hörmann dealer can provide you with prices and delivery times.



Float clear, sand-blasted



Parsol grey, sand-blasted



504 white



Silk white, embossed



Stopsol blue, sand-blasted



Mastercarré



Reflo



Cathedral white



Stopsol grey, sand-blasted



Masterligne



Pave white



Ornamental glass Baroque white



Ornamental glass Chinchilla white



Ornamental glass Silvit 178 bronze



Ornamental glass Niagara white



Royal Flash white



597 white



Royal Trio white



Flûtes



Masterpoint



Madras silk, etched



Ornamental glass Gothic white



Ornament 553



Satinato

Completely under control

With a design tailor-made on your wishes

Throughout this catalogue, we have selected a matching handle from the numerous handle options for each entrance door style shown. But this is only a suggestion. You can select your personal favourite from our programme according to your wishes. Because it is your taste that matters. Here is an overview of all handles at a glance. Your specialised Hörmann dealer can provide you with prices and delivery times.



38-1
Stainless steel
with decorative
centre part

38-2
Brushed matt
stainless steel

HÖ 500
Brushed matt
stainless steel



61-4
Long escutcheon
security handle set,
white



62-4
Long escutcheon
security handle set
with exterior push
handle, white



21-1
White plastic



26-1
White aluminium



92-2
Brushed
stainless
steel




27-1
White plastic
27-2
Black plastic



94-2
Brushed
stainless steel

+ mm = axis dimension
 L mm = handle length



Handle exchange
 (if applicable, at a surcharge)

All dimensions in mm