


Solar protection




PRECONSTRAINT[®] **502**

www.ferrari-architecture.com

FERRARI
architecture






502-2150 **Raspberry**

■ Emerging colours

Promoting a strong urban harmony, featuring neutral discreet shades, such as Mastic, Concrete and Cornflower.

Aluminium and Shifting Grey being more sophisticated shades.



502-8102 **White**



502-2160 **Lagoon**




502-2167 **Concrete**




502-2144 **Mastic**



502-2163 **Turtledove**



502-2159 **Cornflower**



502-1499 **Shifting grey**



502-2168 **Aluminium**
www.samsonawnings.co.uk

■ Design illusion

Contemporary architecture ventures towards dynamic, almost fluorescent colours that have a strong presence.

This bright, saturated colour harmony strongly reflects a current trend, in which every contrast is possible.



502-2156 **Spruce**



502-8056 **Tennis**



502-2157 **Aniseed**



502-2172 **Carrot**



502-8204 **Mandarin**



502-2166 **Buttercup**



502-2165 **Blackcurrant**



502-2150 **Raspberry**

■ Evolving with time

The first impression is that these colours appear to be taken directly from nature's palette; evoking the continuous cycle of the plant world. Looking deeper,

these colours appear smarter and more refined, reminding us of certain Art Nouveau paintings.



502-8284 **Maroon**



502-2149 **Beetle**




502-2158 **Moss green**



502-2137 **Walnut stain**



502-2138 **Dead leaf**



502-2012 **Pepper**



502-2173 **Tuscan**



502-2145 **Gold**
www.samsonawnings.co.uk

■ Body language

A palette taking inspiration from a variety of flesh tones, from Champagne, through Pale Pink to Cocoa.


These colours are soft and mellow, reflecting neutrality, remaining discreet, sober and subtle.



502-2148 **Cocoa**




502-2141 **Camel**




502-8861 **Vanilla**




502-2164 **Violet**




502-2151 **Pale Pink**



502-1013 **Chick**



502-2135 **Sandy beige**



502-8341 **Champagne**

■ Mayhem

Enter a strange satanic nocturnal world. Colouring is ambiguous, Slate changes from black to violet...

It's perturbing to see blood reds in the range.




502-2162 **Slate**




502-1125 **Marine**




502-2161 **Night blue**



502-2136 **Onyx**



502-8450 **Black**



502-2171 **Boulder**



502-2152 **Velvet red**



502-8255 **Poppy**
www.samsonawnings.co.uk

Solar and light properties

(according to EN 14501)

Reference	TS	RS	AS
502-1013	10	61	29
502-1125	4	21	75
502-1499	4	48	48
502-2012	4	44	52
502-2135	7	58	35
502-2136	2	15	83
502-2137	6	22	72
502-2138	4	36	60
502-2141	8	52	40
502-2144	7	66	27
502-2145	7	57	36
502-2148	4	30	66
502-2149	3	24	73
502-2150	11	46	43
502-2151	8	60	32
502-2152	9	37	54
502-2156	4	15	81
502-2157	8	47	45
502-2158	4	34	62
502-2159	5	46	49
502-2160	5	35	60
502-2161	6	28	66
502-2162	6	25	69
502-2163	5	48	47
502-2164	7	50	43
502-2165	15	29	56
502-2166	12	56	32
502-2167	2	29	69
502-2168	1	43	56
502-2171	4	48	48
502-2172	12	47	41
502-2173	12	42	46
502-8056	3	20	77
502-8102	10	76	14
502-8204	16	41	43
502-8255	20	37	43
502-8284	6	24	70
502-8341	10	68	22
502-8450	2	19	79
502-8861	7	61	32


TS : Solar Transmission as a %

RS : Solar Reflection as a %

AS : Solar Absorption as a %

TS + RS + AS = 100% of the incident energy

■ Exclusive **Précontraint® Ferrari®** technology



Made using the exclusive patented Ferrari® Précontraint® technology, Précontraint® 502 textiles are manufactured under equal tension throughout the manufacturing cycle.

The result of that is — exceptional dimensional stability — perfect tensioning and finish — shape that is retained at installation and over time — long-lasting mechanical resistance—substantially extended lifespan—exceptional flexibility that ensures architectural freedom and ease of fitting.

Greater coating thickness over the surface of the yarns

Thicker coating on the thread crests ensures that the physical properties of Ferrari® Précontraint® membranes are preserved over time – a key factor in the durability of your projects.



■ Technical features


PRECONTRAIT® **502**



Long life



Tear resistance



Dimensional stability



U.V. resistant



No pockets or bubbles



Easy maintenance



Flexibility



Flame retardant



Thermal comfort



Custom graphics



Creative Freedom



100% recyclable textile



Safe Textile

PRECONSTRAINT®
502

Textiles for awnings and sail shades

Main applications: facade blinds, awnings, sail shades, canopies, light structures, etc.

■ A unique coordinated range

The 40 colours in the Préconstraint® 502 range have been specially created by the design department of Ferrari® with all industrial and architectural applications in mind. The adaptation to current and future colour trends and the addition of metallic finishes and inter-ferential colours bestow enduring individual traits to every project.

This unique range is very closely coordinated with other Ferrari® products ranges and facilitates the harmonization of awnings to interior solar blinds, exterior canopy structures, facades and other textile coverings.



White Water World - Australia

■ High-performance thermal protection



Sail shade - France

The wide colour range makes selection easy, to obtain required heat protection properties.

New formulations ensure high-performance thermal protection systems for window blind, shading fabric or canopy designs.

High heat-reflection capacities of certain colours can contribute to enhanced user comfort.

■ Enduring technical benefits


The full advantage of Ferrari® Préconstraint® technology is reflected in the Préconstraint® 502 range. It offers many advantages to every type of project: dimensional stability for shading fabrics; unmatched strength for canopies and large-sized applications; high UV resistance due to rigorous pigment and surface treatments; ease of maintenance with a consistently smooth appearance.



Children's Hospital - St. Louis - United States

Solar protection


PRECONSTRAINT® 502

Technical properties	Préconstraint® 502	Standards
Yarn	1100 dtex PES HT	TERSUISSE 
Weight	590 g/sqm	EN ISO 2286-2
Roll-width	180 cm	
Tensile strength (warp/weft)	250/250 daN/ 5 cm	EN ISO 1421
Tear strength (warp/weft)	25/20 daN	DIN 53.363
Adhesion	9/9 daN/ 5 cm	EN ISO 2411
Finish	verniss Biface	
Flame retardancy	M2/NFP 92-507 • B1/DIN 4102-1 • BS 7837 • GROUP 1/AS/NZS 3837 1530.3/AS/NZS • SP METHOD 2205 • LP7 • M2/UNE 23.727 VKF 5.3/SN 198898 • B1/ONORM A 3800-1 • CLASSE 1/UNI 9177 METHOD 1/NFPA 701 • CSFM T19 • UBC 31-1 • CLASS A/ASTM E84 G1/GOST 30244-94 • Test 2 / CAN ULCS109	
Quality management system		ISO 9001

The technical data shown here are average values, given for information only, and may be modified.

www.soltis-textiles.com

Downloading, technical data, references, photos, description of tenders, and much more. All in real time.



Sustainable development

Ferrari® development is based on strict adherence to good safety and environmental practices. This includes an understanding of Life Cycle Analysis (LCA), selection of the best materials, and eco-design. The Company obtained its first ISO 14001 certification in 2003.

100% recyclable

Ferrari® developed the Taxyloop® technology specifically for the recycling of composite PVC membranes and textiles. Through the management of its end-of-life products Ferrari® is committed to sustainable development.
www.taxyloop.com

Specification Service

The Ferrari® specification service is available to inform you, advise you and suggest innovative solutions for your specific requirements.

To detail your project, fill in a form under:
www.soltis-textiles.com

FERRARI



EUROPE

FERRARI SA
La Tour du Pin - FRANCE
Tel: +33 (0)4 74 97 41 33
Fax: +33 (0)4 74 97 67 20

STAMOID AG
Eglisau - SWITZERLAND
Tel: +41 (0)44 868 26 26
Fax: +41 (0)44 868 27 27

EAST EUROPE

FERRARI RUSSIA
Moscow - RUSSIA
Tel: +7 495 933 65 72
Fax: +7 495 933 65 81

NORTH AMERICA

FERRARI TEXTILES CORP.
Florida - USA
Tel: +1 954 942 3600
Fax: +1 954 942 5555

LATIN AMERICA

FERRARI LATINOAMERICA S.A.
Santiago - CHILE
São Paulo - BRAZIL
Tel/Fax: +56 2 264 1543

MIDDLE EAST

FERRARI DUBAI
Dubai - U.A.E
Tel: +971 4 886 5506
Fax: +971 4 886 5507

ASIA - PACIFIC

FERRARI HONG-KONG LTD
HONG-KONG
Tel: +852 3622 1340
Fax: +852 3622 1354

CHINA

FERRARI CHINA
Shanghai
Tel: +86 21 6211 6012
Fax: +86 21 6211 6389