



Frame colour WT 029/80077 | Pattern 3-865

Opal Design II/LED

Live it up on your patio

High-performance technology meets high-calibre design – the weinor Opal Design II meets all the demands of a premium cassette-awning. Built to shade large areas, its timelessly classic shape blends in perfectly with any style of architecture. The beautifully-shaped cassette adds some refined sophistication to the facade. A wealth of product highlights makes the awning easy to use, outstandingly convenient in its operation and durable.



Frame colour RAL 9016

The first-class awning with great features

With Valance Plus and integrated LED lighting, the Opal Design II lives up to the highest demands. Multi-section units convert even large patios into well-shaded favourite areas.




Opal Design II/LED – Highlights and features



Classic design for those who enjoy spacious patios

Large, powerful and safe – the Opal Design II has enough to convince even the most demanding patio aficionados.


- timeless classic design
- certified up to wind force 5
- with weinor LongLife arm (10-year warranty)



End cap closure – unique and safe closing mechanism

If you can see the spring loaded clips at the end of the cassette are closed, then the awning is reliably protected against the elements and dirt.

- crescent-shaped cap closes securely with an audible click
- unique, patented solution made by weinor



Integrated LED lighting for long evenings on the patio

The Opal Design II LED casts an atmospheric, warm white light for even longer hours of enjoyment on the patio.


- operating life of 30,000 hours
- highly energy-efficient
- infinitely dimmable when used with BiConnect radio control
- can be used even when awning is retracted



Valance Plus – more privacy, more glare protection

With its vertical awning, the Opal Design II Valance Plus provides the best-possible privacy, anti-glare and sun protection.

- valance height up to 210 cm
- patented weinor Opti-Flow-System® for the ideal fabric positioning
- coordinated valance control with integrated BiConnect retraction protection



Multi-section units to shade especially large areas

On combined multi-section systems, two sections of fabric are connected to one motor. This means they can both be operated at the same time (does not apply to Valance Plus option).

- for spacious patios up to 48 m²
- jockey cover as connector between the units
- LED spotlights asymmetrically distributed on coupled units

Opal Design II/LED

max. width	max. projection
650 cm/1,200* cm	400 cm

Valance Plus option

max. width	max. projection	Valance Plus projection
500/600 cm	350/300 cm	100, 150, 210 cm

* 2-unit systems

