

**Markilux 1600  
Retractable Awning**




**EMAIL: [ENQUIRIES@SAMSONAWNINGS.CO.UK](mailto:ENQUIRIES@SAMSONAWNINGS.CO.UK)  
TELEPHONE: (01933) 448844  
MON - FRI 8:30AM - 5:30PM**

# One of the most beautiful. Far and wide.

## markilux 1600

This awning won the IF product design award for its harmonious, semi-circular design. And still looks unique when it's fully extended. As a semi-cassette awning, the markilux 1600 is open at the bottom. The top cover profile adapts itself to the angle of pitch of the awning and closes completely flush with the front profile when retracted, which protects the cover safely from rain. Take a look round your neighbourhood: your awning is probably the most beautiful far and wide.



### Polished chrome fittings

Give extra dash to the design language of your markilux 1600 – on the front profile and support tube.



### The markilux shadeplus

Simply block out low-lying sun and prying eyes with the additional vertical blind in the front profile of the markilux 1600.



# MX\_1600



**Semi-cassette awning**  
 max. 710 x 400 cm

**Arm technology**  
 Twin round steel-link chains,  
 optional: Bionic tendon

**Options**  
 LED spotlights in the front profile,  
 end caps in polished chrome,  
 shadeplus / drop valance,  
 valance,  
 coupled awning,  
 stretch

**Lighting options**  
 The LED Spots in the front profile can be dimmed and pivoted  
 guaranteeing a pleasant atmosphere in the evening.

# markilux designer awnings

markilux MX-1



markilux MX-1 compact



markilux 6000



markilux 5010



markilux 970



markilux MX-3



Max. width x projection	700 x 437 cm	700 x 415 cm	700 x 400 cm	700 x 400 cm	600 x 300 cm 500 x 350 cm	600 x 300 cm 500 x 350 cm
Operation	Radio-controlled motor*	Radio-controlled motor *	Manual operation	Manual operation	Manual operation	Manual operation
optional	+ silentec motor	+ silentec motor	+ servo-assisted manual operation + hard-wired motor + silentec motor + radio-controlled motor*	+ servo-assisted manual operation + hard-wired motor + silentec motor + radio-controlled motor*	+ servo-assisted manual operation + hard-wired motor + radio-controlled motor*	+ servo-assisted manual operation + hard-wired motor + radio-controlled motor*
Arm technology	Bionic tendon	Bionic tendon	Bionic tendon	Twin round steel-link chains + Bionic tendon	Bionic tendon	Bionic tendon
optional						
Fixture type	Face fixture	Face fixture	Face/top/eaves	Face/top/eaves	Face/top/eaves	Face/top/eaves
optional			+ wall sealing profile	+ wall sealing profile	+ niche	+ wall sealing profile
Options**	+ LED Line/Spots in the front profile + LED ambient lighting + LED Spots below the cassette + choose your own colour combination + shadeplus / drop valance + valance	+ LED Line/Spots in the front profile + LED ambient lighting + LED Spots below the cassette + choose your own colour combination + shadeplus / drop valance + valance	+ LED Spots in the front profile + end cap insert in stainless steel mesh + end cap trim in polished chrome + shadeplus / drop valance + valance + coupled awning	+ end caps front profile in polished chrome + shadeplus / drop valance + valance + coupled awning	+ LED Line in the cassette + LED Spots below the cassette + anodised front panels + shadeplus / drop valance	+ LED Line in the cassette + LED Spots below the cassette + coloured front panels and end cap insert

\* Remote control, smart (app) or intelligent control possible

\*\* Some options cannot be combined



markilux 990



500 x 300 cm

markilux 3300



700 x 400 cm

markilux 1710



700 x 350 cm

markilux 1600



710 x 400 cm

markilux 930



500 x 300 cm

markilux 1700



700 x 400 cm

markilux 1300



700 x 400 cm

<b>Manual operation</b>	<b>Manual operation</b>	<b>Manual operation</b>	<b>Manual operation</b>	<b>Manual operation</b>	<b>Manual operation</b>	<b>Manual operation</b>
+ servo-assisted manual operation	+ servo-assisted manual operation	+ servo-assisted manual operation	+ servo-assisted manual operation	+ servo-assisted manual operation	+ servo-assisted manual operation	+ servo-assisted manual operation
+ hard-wired motor	+ hard-wired motor	+ hard-wired motor	+ hard-wired motor	+ hard-wired motor	+ hard-wired motor	+ hard-wired motor
+ radio-controlled motor*	+ silentec motor + radio-controlled motor*	+ radio-controlled motor*	+ radio-controlled motor*	+ radio-controlled motor*	+ radio-controlled motor*	+ radio-controlled motor*
<b>Twin round steel-link chains</b>	<b>Bionic tendon</b>	<b>Bionic tendon</b>	<b>Twin round steel-link chains</b>	<b>Twin round steel-link chains</b>	<b>Bionic tendon</b>	<b>Twin round steel-link chains</b>
+ Bionic tendon			+ Bionic tendon			
<b>Face/top/eaves</b>	<b>Face/top/eaves</b>	<b>Face/top/eaves</b>	<b>Face/top/eaves</b>	<b>Face/top</b>	<b>Face/top/eaves</b>	<b>Face/top/eaves</b>
+ wall sealing profile	+ wall sealing profile + niche	+ wall sealing profile	+ wall sealing profile			+ aluminium coverboard
+ end cap insert in polished chrome + valance	+ valance + coupled awning	+ end caps and end cap insert in polished chrome + valance + coupled awning + stretch	+ LED Spots in the front profile + end caps in polished chrome + shadeplus / drop valance + valance + coupled awning + stretch	+ valance	+ end caps and end cap insert in polished chrome + valance + coupled awning + stretch	+ shadeplus / drop valance + valance + pitch adjustment gear + coupled awning



**markilux format** Wind protection and extra privacy | Page 46  
 Individual unit: max. 300 x 250 cm, can be extended  
 Fixture type: patio demarcation, fixed to footings, awning system element  
 Options: + triangular solutions, slide, panoramic window



**markilux 790** Side screen | Page 48  
 Extension: max. 450 cm, height: 90 – 250 cm  
 Operation: manual operation; Fixture type: can be fitted to a wall or in a niche  
 Options: + angled top edge and mobilifix



# markilux awning systems

markilux pergola

markilux pergola compact

markilux planet

markilux markant

markilux syncra


markilux construct



Max. width x projection	600 x 450 cm 500 x 600 cm	450 x 400 cm	600/610 x 300 cm 500/510 x 350 cm	600 x 600 cm (2 fields) 300 x 600 cm (1 field)	Up to 60 m <sup>2</sup> depending on the awning model	Almost unlimited
Awning system	pergola tracfix cover guidance with lateral guide tracks on slim posts	pergola tracfix cover guidance with lateral guide tracks on slim posts	Awning-cum-parasol with one markilux designer awning as desired	Textile weather protection Free-standing, purist in design, on four posts with integrated designer awning	Awning stand system with two posts and one/two markilux designer awnings or pergolas as desired	Frame system modular and flexible
Operation	Hard-wired motor optional + silentec motor + radio-controlled motor*	Hard-wired motor + radio-controlled motor*	Depending on the awning model	Radio-controlled motor*	Depending on the awning model	Depending on the awning model
Arm technology	—	—	Depending on the awning model	—	Depending on the awning model	Depending on the awning model
Fixture type	Face/top/eaves + wall sealing profile	Face/top/eaves + wall sealing profile	Free-standing on concrete foundations	Free-standing on concrete foundations or attached to a wall	Free-standing on concrete foundations or stabilisation boxes	Free-standing on concrete foundations
Options**	+ LED Line/LED Spots + shadeplus / drop valance + wind protection and extra privacy + round or square posts + adjustable posts + stabilisation boxes + coupled awning	+ LED Line/LED Spots + shadeplus / drop valance (manual) + wind protection and extra privacy + round or square posts + adjustable posts + stabilisation boxes	Depending on the awning model + flex (335° pivoting) + shadeplus / drop valance + base plate covers	+ LED Line/LED Spots + wall sealing profile + vertical roller blinds + wind protection and extra privacy + panoramic window	Depending on the awning model + uno + flex + round or square posts + base plate covers + coupled awning	Depending on the awning model + vertical roller blinds + wind protection and extra privacy + panoramic window + round or square posts + base plate covers

\* Remote control, smart (app) or intelligent control possible

\*\* Some options cannot be combined



## Nationwide delivery and installation service

**6-8 MEADOW CLOSE  
ISE VALLEY INDUSTRIAL ESTATE  
FINEDON ROAD  
WELLINGBOROUGH  
NN8 4BH**

**EMAIL: ENQUIRIES@SAMSONAWNINGS.CO.UK  
TELEPHONE: (01933) 448844  
MON - FRI 8:30AM - 5:30PM**

