

## Markilux Pergola



**EMAIL: [ENQUIRIES@SAMSONAWNINGS.CO.UK](mailto:ENQUIRIES@SAMSONAWNINGS.CO.UK)**  
**TELEPHONE: (01933) 448844**  
**MON - FRI 8:30AM - 5:30PM**

**Awning system**

max. 600 × 450 cm

max. 500 × 600 cm

**Options**

shadeplus / drop valance,  
protection against wind and  
prying eyes as well as a number  
of comfort and design options,  
page 56



**The markilux shadeplus**

The additional vertical blind integrated into the front profile simply blocks out low-lying sun and the glances of inquisitive neighbours.

# mx \_ pergola

## For all those who have grandiose plans even if it is windy and wet.

### markilux pergola

The markilux pergola ranks top when it comes to solar and wet weather protection. The awning system on slender posts and lateral guide tracks provides generous shading with an extension of up to 6 metres. The markilux pergola defies wind and weather up to Beaufort wind force 6 (wind resistance class 3). You can make your favourite place outdoors your very own with a markilux shadeplus, as well as a multitude of lighting options and post variants. No matter how strong the sun shines or the wind blows, with your markilux pergola you can enjoy life outdoors at any time.



### Coupled awning

For all those who want even more shade: up to five single markilux pergola units can be joined side by side.



### Closed full cassette system

The cover disappears completely inside the cassette and is ideally protected. If anything can be even more impressive than the appearance of the awning, it is the way the markilux pergola functions faultlessly.



### markilux tracfix

One of markilux's many sophisticated features: the lateral cover guidance system that leaves no gap between the cover and guide track. Combines a more attractive overall appearance with better wind stability.

# markilux designer awnings

markilux MX-1



markilux MX-1 compact



markilux 6000



markilux 5010



markilux 970



markilux MX-3



Max. width x projection	700 x 437 cm	700 x 415 cm	700 x 400 cm	700 x 400 cm	600 x 300 cm 500 x 350 cm	600 x 300 cm 500 x 350 cm
Operation	Radio-controlled motor*	Radio-controlled motor *	Manual operation	Manual operation	Manual operation	Manual operation
optional	+ silentec motor	+ silentec motor	+ servo-assisted manual operation + hard-wired motor + silentec motor + radio-controlled motor*	+ servo-assisted manual operation + hard-wired motor + silentec motor + radio-controlled motor*	+ servo-assisted manual operation + hard-wired motor + radio-controlled motor*	+ servo-assisted manual operation + hard-wired motor + radio-controlled motor*
Arm technology	Bionic tendon	Bionic tendon	Bionic tendon	Twin round steel-link chains + Bionic tendon	Bionic tendon	Bionic tendon
optional						
Fixture type	Face fixture	Face fixture	Face/top/eaves	Face/top/eaves	Face/top/eaves	Face/top/eaves
optional			+ wall sealing profile	+ wall sealing profile	+ niche	+ wall sealing profile
Options**	+ LED Line/Spots in the front profile + LED ambient lighting + LED Spots below the cassette + choose your own colour combination + shadeplus / drop valance + valance	+ LED Line/Spots in the front profile + LED ambient lighting + LED Spots below the cassette + choose your own colour combination + shadeplus / drop valance + valance	+ LED Spots in the front profile + end cap insert in stainless steel mesh + end cap trim in polished chrome + shadeplus / drop valance + valance + coupled awning	+ end caps front profile in polished chrome + shadeplus / drop valance + valance + coupled awning	+ LED Line in the cassette + LED Spots below the cassette + anodised front panels + shadeplus / drop valance	+ LED Line in the cassette + LED Spots below the cassette + coloured front panels and end cap insert

\* Remote control, smart (app) or intelligent control possible

\*\* Some options cannot be combined



markilux 990



500 x 300 cm

markilux 3300



700 x 400 cm

markilux 1710



700 x 350 cm

markilux 1600



710 x 400 cm

markilux 930



500 x 300 cm

markilux 1700



700 x 400 cm

markilux 1300



700 x 400 cm

<b>Manual operation</b>	<b>Manual operation</b>	<b>Manual operation</b>	<b>Manual operation</b>	<b>Manual operation</b>	<b>Manual operation</b>	<b>Manual operation</b>
+ servo-assisted manual operation	+ servo-assisted manual operation	+ servo-assisted manual operation	+ servo-assisted manual operation	+ servo-assisted manual operation	+ servo-assisted manual operation	+ servo-assisted manual operation
+ hard-wired motor	+ hard-wired motor	+ hard-wired motor	+ hard-wired motor	+ hard-wired motor	+ hard-wired motor	+ hard-wired motor
+ radio-controlled motor*	+ silentec motor + radio-controlled motor*	+ radio-controlled motor*	+ radio-controlled motor*	+ radio-controlled motor*	+ radio-controlled motor*	+ radio-controlled motor*
<b>Twin round steel-link chains</b>	<b>Bionic tendon</b>	<b>Bionic tendon</b>	<b>Twin round steel-link chains</b>	<b>Twin round steel-link chains</b>	<b>Bionic tendon</b>	<b>Twin round steel-link chains</b>
+ Bionic tendon			+ Bionic tendon			
<b>Face/top/eaves</b>	<b>Face/top/eaves</b>	<b>Face/top/eaves</b>	<b>Face/top/eaves</b>	<b>Face/top</b>	<b>Face/top/eaves</b>	<b>Face/top/eaves</b>
+ wall sealing profile	+ wall sealing profile + niche	+ wall sealing profile	+ wall sealing profile			+ aluminium coverboard
+ end cap insert in polished chrome + valance	+ valance + coupled awning	+ end caps and end cap insert in polished chrome + valance + coupled awning + stretch	+ LED Spots in the front profile + end caps in polished chrome + shadeplus / drop valance + valance + coupled awning + stretch	+ valance	+ end caps and end cap insert in polished chrome + valance + coupled awning + stretch	+ shadeplus / drop valance + valance + pitch adjustment gear + coupled awning



**markilux format** Wind protection and extra privacy | Page 46  
 Individual unit: max. 300 x 250 cm, can be extended  
 Fixture type: patio demarcation, fixed to footings, awning system element  
 Options: + triangular solutions, slide, panoramic window



**markilux 790** Side screen | Page 48  
 Extension: max. 450 cm, height: 90 – 250 cm  
 Operation: manual operation; Fixture type: can be fitted to a wall or in a niche  
 Options: + angled top edge and mobilifix

# markilux awning systems

markilux pergola

markilux pergola compact

markilux planet

markilux markant

markilux syncra


markilux construct



Max. width x projection	600 x 450 cm 500 x 600 cm	450 x 400 cm	600/610 x 300 cm 500/510 x 350 cm	600 x 600 cm (2 fields) 300 x 600 cm (1 field)	Up to 60 m <sup>2</sup> depending on the awning model	Almost unlimited
Awning system	pergola tracfix cover guidance with lateral guide tracks on slim posts	pergola tracfix cover guidance with lateral guide tracks on slim posts	Awning-cum-parasol with one markilux designer awning as desired	Textile weather protection Free-standing, purist in design, on four posts with integrated designer awning	Awning stand system with two posts and one/two markilux designer awnings or pergolas as desired	Frame system modular and flexible
Operation	Hard-wired motor optional + silentec motor + radio-controlled motor*	Hard-wired motor + radio-controlled motor*	Depending on the awning model	Radio-controlled motor*	Depending on the awning model	Depending on the awning model
Arm technology	—	—	Depending on the awning model	—	Depending on the awning model	Depending on the awning model
Fixture type	Face/top/eaves + wall sealing profile	Face/top/eaves + wall sealing profile	Free-standing on concrete foundations	Free-standing on concrete foundations or attached to a wall	Free-standing on concrete foundations or stabilisation boxes	Free-standing on concrete foundations
Options**	+ LED Line/LED Spots + shadeplus / drop valance + wind protection and extra privacy + round or square posts + adjustable posts + stabilisation boxes + coupled awning	+ LED Line/LED Spots + shadeplus / drop valance (manual) + wind protection and extra privacy + round or square posts + adjustable posts + stabilisation boxes	Depending on the awning model + flex (335° pivoting) + shadeplus / drop valance + base plate covers	+ LED Line/LED Spots + wall sealing profile + vertical roller blinds + wind protection and extra privacy + panoramic window	Depending on the awning model + uno + flex + round or square posts + base plate covers + coupled awning	Depending on the awning model + vertical roller blinds + wind protection and extra privacy + panoramic window + round or square posts + base plate covers

\* Remote control, smart (app) or intelligent control possible

\*\* Some options cannot be combined



## Nationwide delivery and installation service

**6-8 MEADOW CLOSE  
ISE VALLEY INDUSTRIAL ESTATE  
FINEDON ROAD  
WELLINGBOROUGH  
NN8 4BH**

**EMAIL: ENQUIRIES@SAMSONAWNINGS.CO.UK  
TELEPHONE: (01933) 448844  
MON - FRI 8:30AM - 5:30PM**

