

# RIALTO – Sizes and Technical Data



Crank to fix the tilted canopy




Pivot system




Flexible tilt function (max. 30°)



Wall mount for strain relief



3D view of installation base with top plate for winter protection. Base must be frost-proof and enlarged if the ground is unstable.




e	m	Ø 3.0 m	Ø 3.5 m	Ø 4.0 m
K	cm	100	75	55
L	cm	195	195	195
M	cm	200	200	200
N1 without valance	cm	270	280	285
N2 with valance	cm	290	300	305

**Minimum ballast** required for mobile pedestals:  
1 layer of concrete slabs 50 x 50 x 5 cm.

**Size of installation base** required for all parasol sizes: 50 x 50 x 70 cm.  
Base must be frost-proof and enlarged if the ground is unstable.

e	m	Single with 6 segments			Double with 6 segments			Triple with 6 segments			Quad with 8 segments		
		Ø 3.0	Ø 3.5	Ø 4.0	Ø 3.0	Ø 3.5	Ø 4.0	Ø 3.0	Ø 3.5	Ø 4.0	Ø 3.0	Ø 3.5	Ø 4.0
s	cm	260	300	345	260	300	345	260	300	345	275	325	360
B	cm	-	-	-	90	53	45	50	40	40	40	25	20
C	cm	-	-	-	610	660	740	-	-	-	-	-	-
D = F	cm	-	-	-	-	-	-	570	650	740	-	-	-
G = H	cm	-	-	-	-	-	-	-	-	-	600	675	760
O	cm	170	190	220	175	190	220	175	190	220	220	240	270
P	cm	185	206	235	185	206	235	185	206	235	235	260	290
Q	cm	20	15	20	15	15	20	15	15	20	70	65	70
R	cm	155	180	205	155	180	205	155	180	205	120	135	155
Weight*		27 kg	29 kg	31 kg	49 kg	54 kg	58 kg	60 kg	66 kg	72 kg	86 kg	94 kg	102 kg
Support Pole		outer Ø 76 mm, pole thickness 3 mm											

\*without packaging



Intermediate and special sizes on request. All measurements are to be understood as approximate.