

## **Robust Steel Doorsets UK Brochure**



EMAIL: [ENQUIRIES@SAMSONDOORS.CO.UK](mailto:ENQUIRIES@SAMSONDOORS.CO.UK)  
TELEPHONE: (01933) 448850  
MON - FRI 8:00AM - 5:00PM



# STEEL DOOR SOLUTIONS

## COMPLETE GUIDE



PROTECTING

01933 448850 PEOPLE PROPERTY

The Company You Can Trust

[www.samsondoors.co.uk](http://www.samsondoors.co.uk)

02/26



## CONTENTS

### Robust UK

Who We Are & What We Do	4-5
Investing in Testing	6-7
Accreditations & Memberships	8-9

### Portfolio

Products	10-13
Frame Types & Thresholds	14-15
Panel Arrangements	16
Vision Panels	17-18
Louvres	19
Hardware	20-21
Finishes	22
PPC Colour Chart	23
Aftercare & Maintenance	24
Handing Chart	25



# BUILT ON STRENGTH DRIVEN BY QUALITY TRUSTED BY TRADE

Robust UK is a leading manufacturer of steel door solutions, supplying a comprehensive range of products for the industrial and commercial sectors. Whether for a new build or a refurbishment project, our doors deliver a truly robust solution across the Transport, Education, Health, Housing, Industrial, Warehousing, and Utilities markets.

From fire, security, glazed, and vented doors, every product is made to order, built to the highest standards, and backed by independent testing and certification, ensuring premium quality and reliable performance every time.



## PROTECTING PEOPLE & PROPERTY

### Who We Are

Our customers sit at the heart of everything we do. With over 25 years of experience, we've built our reputation on manufacturing durable, high-performance steel doors that meet the most demanding specifications.

As the UK's leading trade-only steel door manufacturer, we offer dedicated Sales Estimators and Account Managers to deliver consistent, personal service. Our friendly, knowledgeable team draws on decades of combined experience from long-standing service within Robust, GAI-qualified specialists, and deep expertise across the manufacturing industry.



### What We Do

Continuous improvement drives us. We invest heavily in research and development to enhance our product range and offer the latest innovations in performance, durability, and design.

Our recent £6 million investment in advanced machinery and a new state-of-the-art facility in Newcastle-under-Lyme has expanded our capacity, reduced lead times, and improved precision across every process.

Every Robust door is custom-built to order, supported by long product warranties and transparent, third-party test evidence. We believe in collaboration, fostering strong partnerships with our customers and suppliers. We're ready to help with any specification or project requirement.

Get in touch today to discuss your next project with Robust UK.



## INVESTING IN TESTING

### The Gold Standard In Performance

At Robust UK, quality and compliance come as standard. Every product we manufacture is independently, third-party tested, giving you total peace of mind that our doors perform exactly as promised. From security ratings and fire resistance to thermal and acoustic performance, our doors are engineered and verified to meet the highest standards.

We continually enhance our product range in line with the latest regulations and certifications, including CE Marking. Our dedicated Research & Development team regularly submits products for testing with accredited, independent authorities such as:

- LPCB (Loss Prevention Certification Board); internationally recognised for security and fire standards.
- Warrington Fire; experts in fire resistance testing and certification.
- Secured by Design; the official UK police initiative to “design out crime.”

### Fire Resistance

Our extensive range of certified fire-resistant steel doors provides protection and performance tailored to your needs.

- INNA-DOR and OUTA-DOR – versatile internal and external doors, each offering up to 4 hours of fire resistance.
- TUFF-DOR 2.1 and SECUR-DOR 2.1 – combine strength and security with 60 minutes of fire resistance (available on certain specifications).
- GLAS-DOR – integrates fire protection with acoustic reduction, ballistic resistance and security certification in one complete door solution.
- Additional options available from the OUTA-DOR Premio and Novofire® ranges by Novoferm offer even greater choice and flexibility.



### Intruder & Blast Resistant Doors

When safety and security matter most, our doors lead the field.

- SECUR-DOR 2.1 – tested to PAS 24 (2022), STS 201, and BS EN 6375-1 (2015).
- TUFF-DOR collection – LPS 1175 certified to SR2, SR3, or SR4 levels for proven resilience.
- TUFF-VENT – PAS 24 (2022) certified and Secured by Design approved, offering exceptional airflow without compromising strength or security.
- GLAS-DOR – a fire-rated, fully glazed, and burglary-resistant solution tested to PAS 24 and ENV 1627 RC3/RC4 classes.

Whatever your safety requirements, Robust UK delivers doors that set the benchmark for tested strength, proven safety, and enduring reliability.



# ACCREDITATIONS & MEMBERSHIPS



PROTECTING  
PEOPLE & PROPERTY

## Committed To Quality. Guided By Excellence.

Our dedication to exceptional standards, consistent quality, and continuous improvement is reflected in the range of certifications, accreditations, and professional memberships we hold. Each one reinforces our promise of reliability, expertise, and compliance.

Every stage of our manufacturing process is independently audited, ensuring full adherence to the latest safety, quality, and performance standards, so every door we produce meets the benchmark of excellence our customers expect.

## ISO 9001 QUALITY MANAGEMENT



Assessed to ISO 9001 2015  
Cert/LPCB ref 1070

ISO 9001:2015 is a globally recognised standard for quality management. It demonstrates that we meet the needs and expectations of customers and other stakeholders, while also meeting statutory and regulatory requirements.

### THE CORE ELEMENTS ARE:

- Customer Focus
- Leadership
- Engagement of People
- Process Approach
- Improvement
- Evidence-Based Decision Making
- Relationship Management

## GUILD OF ARCHITECTURAL IRONMONGERY

As a Corporate Member of the GAI, we're proud to uphold the highest levels of technical expertise and professional integrity within the construction and architectural sectors.

Our membership reflects our commitment to the GAI's Code of Professional Conduct, with team members holding the GAI Diploma (DipGAI) qualification; a mark of skill and specialist knowledge that ensures confidence and precision in every project.

Beyond membership, Robust UK plays an active role in supporting the industry's ongoing development. We were honoured to sponsor the 44th Annual GAI Education Awards (2024) and regularly host the GAI Midlands Community Hub, helping to promote collaboration, education, and professional growth across the sector.



## MASTER LOCKSMITHS ASSOCIATION



The MLA is recognised as the authoritative body for locksmithing by a number of organisations including the Home Office, British Standards Institute (BSI), Secured by Design and more. The MLA ensures its members have undergone rigorous vetting, are qualified professionals, and are regularly inspected.

We're Affiliate Members in order to support the Aims and Objectives of the Association, which include ensuring high standards of conduct, practice and materials; providing training & information; being the leading trade association for the locksmithing industry; and providing peace of mind to the end customer in the absence of a Government based licensing scheme.

## SECURED BY DESIGN

**Secured by Design** (SBD) is the official police security initiative to 'design out crime'. It works to improve the security of buildings and their immediate surroundings to provide safe places to live, work, shop and visit.

SBD's product based accreditation scheme - the Police Preferred Specification - provides a recognised standard for all security products that can deter and reduce crime, ensuring consistent standards are met across all attack resistant crime prevention products.

Robust are proud to offer a choice of SBD accredited products, including **TUFF-DOR 2.1** which is LPS1175 (SR2 Issue 8) certified, and **SECUR-DOR 2.1**; tested to STS201 and PAS 24 (2022).

**TUFF-VENT** - our fully louvred security doorset - offers maximum free airflow whilst maintaining strength and security. Also certified to PAS 24 (2022) as well as approved by **Secured by Design**, it's ideal for applications such as plant rooms and boiler rooms where continuous airflow is required alongside protection of equipment or machinery.



Official Police Security Initiative



## DOOR HARDWARE FEDERATION



dhw is a not-for-profit trade association for companies associated with locks & building hardware; doorsets; industrial doors & shutters; domestic garage doors and automated gates.

With over 500 members it's the 'go to' place for technical advice and training, raising the standards of the industry and providing a single source for technical expertise, information, knowledge, advice, and practical help.

It is a criteria of membership that at least one person who is in an area of responsibility and can change processes within the organisation attends the relevant dhw two day training course, and covers the requirements of a Complimentary Conformity Advice (CCA), ensuring that membership is on the basis of demonstrable high quality and legislative compliance.

**Accredited. Audited. Assured. With every certification and partnership, we reinforce our promise of dependable quality and trusted expertise every step of the way.**

# PRODUCTS

## Designed For Performance. Built To Last.

Our comprehensive product range delivers stylish, high-performance solutions for a wide variety of industrial and commercial applications.

As part of the Novoferm Group, we also have access to an extended portfolio of specialist products from across Europe and beyond, which is ideal for unique or complex projects.

Discover the right Robust solution for your next project.



### GLAS-DOR

#### Glazed Systems

- Available as doorsets, windows, facades, partitions, or screens.
- E60 and EI90 options available dependent on configuration.
- Ballistic and intruder-resistant options on request.
- Slimline profiles for minimal sightlines and modern aesthetics.
- Perfect for commercial and residential environments including hotels, offices, apartments, and retail spaces.
- Up to 2 years warranty.



### OUTA-DOR

#### External Door Systems

- Industry-leading external doorsets for general purpose, emergency escape, fire-rated, and thermal performance applications.
- Available with vision panels, louvres, over panels and side panels, along with the hardware of your choice (dependent on certification requirements).
- Fire-rated options available for 60, 120, or 240 minutes.
- Constructed from Magnelis® steel for exceptional corrosion resistance.
- OUTA-DOR THERM achieves ultra-low U-values; just 1.3 W/(m<sup>2</sup>K), or 1.5 W/(m<sup>2</sup>K) with 60-minute fire resistance.
- Up to 10 years warranty.



### SECUR-DOR 2.1

#### High-Security Steel Doors

- SECUR-DOR 2.1 is a highly versatile security rated door tested to PAS 24 (2022), STS 201, BS EN 6375-1, 2 & 3, and Secured by Design approved.
- Available as a single or double doorset, with single doors fire rated to 60 minutes on request (certain specifications only).
- Exclusive ARRONE panic hardware developed in conjunction with HOPPE (UK) provides a cost-effective security rated fire exit without compromising on quality or performance.
- Manufactured from Magnelis® steel for unrivalled corrosion resistance.
- Up to 10 years warranty.



### INNA-DOR

#### Internal Door Systems

- Combines aesthetic appeal, durability, and up to 4 hours of fire protection for varied internal applications.
- Compatible with a wide range of wall constructions.
- Options include vision panels, louvres, overpanels, side panels, and hardware tailored to fire-rating requirements.
- Designed to protect people and property from the spread of flames and smoke, with up to 240 minutes fire rating and doors tested to BS EN 1634-3 for smoke leakage on request.
- Manufactured from Magnelis® steel for long-lasting corrosion resistance.
- Up to 10 years warranty.



### TUFF-DOR 2.1

#### Certified Security Doors

- TUFF-DOR 2.1 is an LPS1175 (SR2 Issue 8) certified security doorset.
- Available with up to 60 minutes fire resistance (on selected specifications).
- Options for single or double doorsets, vision panels, and louvres (non-fire-rated models).
- Compatible with manual or electric locking, emergency escape hardware, door closers, and limit stays.
- Built from Magnelis® steel for superior strength and corrosion resistance.
- Up to 10 years warranty.

# PRODUCTS



## TUFF-VENT

### Security Ventilation Doors

- Provides maximum airflow while maintaining security and strength.
- PAS 24 (2022) certified, Secured by Design approved, and CE compliant to BS EN 14351-1.
- Features full length vertical stiffeners, welded at every junction for additional strength.
- Side and over panels can be configured to create enclosures.
- Ideal for spaces requiring continuous ventilation with equipment or asset protection.
- Up to 2 years warranty.



## OUTA-GATE

### Corrosion Resistant Gates

- Manufactured from Magnelis® for a corrosion resistant, hardwearing and low maintenance alternative to traditional timber gates.
- Available with modern matt black or classic stainless steel hardware, and a choice of horizontal or vertical panelling effect to both sides.
- Standard gates offer a choice of two widths, three heights, and four PPC colours.
- Up to 10 years anti-corrosion warranty.



## VENT-DOR

### Ventilation Doors

- Available in lightweight aluminium or robust steel.
- Customisable with matching side and over panels, configurable to create enclosures where needed.
- Suitable for single or double door openings.
- Provides minimum 50% airflow (configuration dependent).
- Ideal for refuse or plant areas, circulating clean air while allowing fumes and odours to escape.
- Up to 2 years warranty.



## TEMP-DOR

### Temporary Steel Doors

- TEMP-DOR is an easy-fit steel doorset that's been specifically designed to quickly restore and maintain building security and safety until a permanent door can be installed.
- The adjustable frame ensures it fits structural openings from 875mm to 1095mm. It can be fitted for either inward or outward opening, and is non-handed.
- TEMP-DOR features a compliant escape sashlock (to BS EN 179) as standard to ensure no compromise on security or accessibility, and is reusable to provide a sustainable revenue opportunity.

# FRAME TYPES

## Precision Engineered For Strength and Versatility.

All Robust UK frames are manufactured from 1.5mm Magnelis® steel as standard, offering unmatched corrosion resistance and lasting durability. Most frame types come with adjustable fixing feet, allowing for accurate fitting even in openings that are out of square.


For added flexibility, we also supply a variable sub-frame accommodating site tolerances of  $\pm 15\text{mm}$  each side, ensuring a quick, clean, and hassle-free installation.

All frames (excluding the E Frame) are suitable for installation within masonry, concrete, or flex stud (cold wall) structures. For use with insulated panel systems, please select the E Frame.




### C FRAME

- Exceptionally versatile and can be adjusted for greater or reduced depth as required.
- Durable, robust, and easy to install, suitable for both inward and outward opening.
- Used as the basis for all thermal performance (U-value) calculations.




### A FRAME

- A wrap-around frame designed for a clean, flush finish against solid masonry walls.
- Ideal for fire-rated doorsets, providing a neat aesthetic while meeting performance standards.



### B FRAME

- A single-architrave frame covering the opening on one side of the door.
- The opposite side leaves exposed masonry, which can be architraved or trimmed to match, similar to the C Frame setup.
- Suitable for both inward and outward opening.



### D FRAME

- Known as the double-architrave frame.
- Provides an elegant appearance on both sides of the door opening.
- Ideal where a fully enclosed, high-quality aesthetic is desired.



### E FRAME

- A wrap-around frame specifically designed for use with insulated panels.
- Maintains a secure, precise fit for specialist wall construction

# THRESHOLDS

## Engineered For Performance and Accessibility.

At Robust UK, we offer a selection of threshold options to ensure flexibility and precision across all project requirements.

Each option is designed for durability, compliance, and ease of use, whether your doors are installed in demanding industrial environments or public access areas.




### 15MM REBATED

- Standard specification made from durable aluminium, standing 15mm high.
- DDA compliant, suitable for inward or outward opening doorsets.
- Inward-opening configurations include a rain deflector and optional brush sweep for enhanced weather protection.




### 6MM DRIVEABLE

- Designed for high-traffic environments where trolleys or wheeled equipment frequently pass through.
- Provides a smooth, drive-over surface for easy movement.
- Optional rain deflector and brush sweep available on request.



### 15MM STANDARD

- A more specialised option, generally reserved for heavy industrial applications outside the DDA definition of public buildings.
- Features a 15mm high aluminium profile without an angled ramp.
- Suitable for environments requiring robust performance rather than accessibility compliance.



### ADDITIONAL ACCESSORIES



#### DROP SEAL

- Available on request in morticed or surface-mounted versions.
- Provides an effective seal against noise, drafts, and smoke leakage.



#### RAIN DEFLECTOR

- Simple and effective weather protection
- It does exactly what it says on the tin!

# PANEL ARRANGEMENTS

Panels can be solid, glazed or louvred; and fixed, hinged or removable (subject to certification requirements).

For further information, including minimum and maximum sizes for your specified doorset, please contact our estimating team.



Single Door With Side Panel (L)



Double Door With Side Panel (L)



Single Door With Two Side Panels (L & R)



Double Door With Two Side Panels (L & R)



Single Door With Over Panel

Double Door With Over Panel

Single Door With Over Panel & Side Panel (R)

Double Door With Over Panel & Side Panel (R)

# VISION PANELS

## FLEXIBLE SOLUTIONS

We offer a wide variety of configurations and sizes of vision panels to suit your requirements, including Part M compliant solutions.

To make life easy, we have a wide range of standard vision panel solutions for you to choose from (see next page for more details). However, as all our doors are made-to-order we're also happy to manufacture doors with custom sized vision panels and glazing - please speak to our estimators to discuss your requirements.



## CONSTRUCTION

Welded construction from 1mm cold rolled steel, screwed together from one side.

We use double glazed units as standard with our fire rated and non-fire rated doors.

Frames can be powder coated to match the leaf for seamless look, or finished in a contrasting colour for maximum impact or should your frame require a Light Reflective Value (LRV) greater than 30 points from your structure.

Stainless steel frames can also be supplied on request.

## PART M COMPLIANCE

Part M of the Building Regulations 2004 requires that doors wider than 450mm have minimum zone(s) of visibility in certain situations.

The visible area on the leading edge of the door must be between 500mm and 1500mm from the floor, and may be interrupted between 800mm and 1150mm to accommodate door features such as hardware.

Vision panels less than 50% of the total door area are exempt from Part L of the Building Regulations.



# VISION PANELS

## STANDARD VISION PANELS



254mm x 254mm



254mm x 559mm



254mm x 762mm



\* 254mm x 1219mm

\* 254mm x 762mm  
254mm x 559mm

\* 254mm x 1524mm



610mm x 610mm



610mm x 1219mm

\* Part M Compliant

# LOUVRES

## VENTILATION SOLUTIONS

Louvred panels can be incorporated on request for applications where continuous airflow is required for ventilation, such as plant rooms, boiler rooms, and waste facilities.

Providing up to 50% ventilation without compromising on style or security, we can manufacture doorsets with just one panel (positioned either top or bottom), two panels, or full length.

### LOUVRE SIZES

Our louvre panels are available in two standard sizes:

- 457mm x 457mm
- 457mm x 1524mm

Frames are 1.2mm thick, with blades at 0.7mm.

Louvre blades are constructed to stop birds, with insect mesh included as standard and bird/vermin mesh available on request.

Please speak to our estimators about **VENT-DOR** if you require louvres to a custom size that differs from our standard panels above.

For a security rated fully louvred solution, ask about **TUFF-VENT**.

457mm x 457mm  
Bottom457mm x 1524mm  
Full length plus louvred over panel457mm x 457mm  
Twin457mm x 457mm  
Top457mm x 1524mm  
Full length

### MAXIMUM DIMENSIONS

Maximum clear vision size for a fire rated doorset is 559mm x 1473mm per leaf.


Maximum vision panel dimensions and glazing used may be affected by fire rating and hardware requirements; please ask our estimators for further information.



# HARDWARE

We're proud to work with the industry's leading hardware manufacturers to ensure we offer a broad range of high quality locks as standard.

For further information about our locking hardware, please consult our Locking Guide - available online via [www.robust-uk.com/documentation/useful-downloads](http://www.robust-uk.com/documentation/useful-downloads) or scan the QR code on page 21.




# HARDWARE


## LOOKING FOR MORE?

Please speak to our estimators if your preferred solution isn't listed here; this list is not exhaustive.

### ACCESS CONTROL



### PANIC ESCAPE



Escape door furniture can be fitted with a number of options for access from outside, such as panic latch or pad with a mechanical keypad - please ask our estimators for further information.

For further information about our locking hardware, please consult our Locking Guide - available online via [www.robust-uk.com/documentation/useful-downloads](http://www.robust-uk.com/documentation/useful-downloads) or scan the QR code.



# FINISHES

## POLYESTER POWDER COATING

All Robust doors are supplied with a polyester powder coating (PPC) as standard. We offer a broad choice of over 50 colours in our standard range, and are happy to finish in any non-standard colour of your choice too!

Choose your level of sheen from:

- Matt 30% (also known as eggshell)
- Semi-gloss 6S%
- Gloss 80%



We can manufacture "two-tone" doors with each side of the leaf a different colour, and enhanced PPC finishes are available for C4 and CS applications for additional protection.

Scan the QR code to download our PPC Standard Colour Chart.



## TIMBER EFFECT

Our timber effect coating provides a high performance decorative finish that combines the warm, natural look and feel of wood with the durability and security of steel.

Realistic yet hardwearing, timber effect steel doors require less upkeep than traditional wooden doors and will not warp or rot, yet provide the same softer aesthetic.

Our innovative woodgrain effect undergoes the same manufacturing process as plain PPC colours, and therefore provides the same level of protection, durability, and UV, scratch and moisture resistance.



## STAINLESS STEEL

Our stainless steel doorsets bring together strength and style, ensuring a sleek, modern aesthetic that's also durable, hygienic and low maintenance.

Incredibly corrosion resistant, the smooth, non-porous surface prevents bacterial growth and is easy to clean and maintain for long lasting performance. Stainless steel doors are therefore ideal for demanding environments such as commercial kitchens, hospitals, laboratories, pharmaceutical applications, and coastal or other highly corrosive environments.

## PPC COLOUR CHART

Traffic White RAL 9016	Signal White RAL 9003	White RAL 9010	Grey White RAL 9002	Light Grey RAL 7035
Goosewing Grey BS10A05	Agate Grey RAL 7038	Silver RAL 9006	Signal Grey RAL 7004	Window Grey RAL 7040
Traffic Grey A RAL 7042	Squirrel Grey RAL 7000	Grey Aluminium RAL 9007	Dusty Grey RAL 7037	Stone Grey RAL 7030
Merlin Grey BS18B25	Mouse Grey RAL 7005	Green Grey RAL 7009	Quartz Grey RAL 7039	Umbra Grey RAL 7022
Slate Grey RAL 7015	Basalt Grey RAL 7012	Iron Grey RAL 7011	Traffic Grey B RAL 7043	Graphite Grey RAL 7024
Anthracite RAL 7016	Heron BS18B17	Pastel Blue RAL 5024	Light Blue RAL 5012	Sky Blue RAL 5015
Cobalt Blue BS18E53	Signal Blue RAL 5005	Gentian Blue RAL 5010	Ultramarine Blue RAL 9005	Sapphire Blue RAL 5003
Steel Blue RAL 5011	Poppy Red BS04E53	Traffic Red RAL 3020	Flame Red RAL 3000	Copper Brown RAL 8004
Van Dyke Brown BS08B29	Grey Brown RAL 8019	Moorland Green BS12B21	Olive Green RAL 6003	Juniper Green BS12B29
Leaf Green RAL 6002	Moss Green RAL 6005	Black Grey RAL 7021	Signal Black RAL 9004	Jet Black RAL 9005
Colza Yellow RAL 1021				

We offer over 50 options within our standard colour range, and are happy to finish in non-standard colours too. Please contact our estimators for further information.

# AFTER CARE

## CARE AND MAINTENANCE

We recommend that doors and their associated hardware are maintained at least every six months. However, doors subject to heavy use or located in exposed areas should be serviced more frequently.

For further information - including a Care & Maintenance Guide and Maintenance & Repair Log Sheet - please scan the QR code or visit [www.robust-uk.com/documentation/useful-downloads](http://www.robust-uk.com/documentation/useful-downloads).



## USEFUL DOWNLOADS AND INSPIRATION

Have you visited our website?

We regularly add new resources and information, with an Inspiration section that showcases real project case studies, our product gallery, and technical insights through our Blog.

From data sheets and brochures to handy downloadable documents and guides, you can also browse our FAQs and Request A Quote online – all designed to make your life a little easier.


Simply visit [www.robust-uk.com](http://www.robust-uk.com) or scan the QR code above to explore it for yourself!





# HANDING CHART

## SINGLE DOORS




### OUTWARD OPENING



## DOUBLE DOORS



### INWARD OPENING





## THE COMPANY YOU CAN TRUST

### 10 YEAR WARRANTY



Up to 10 years anti-corrosion warranty on doors manufactured using Magnelis® steel.\*

\*Warranty duration differs for alternative materials.




### MADE-TO-MEASURE

All steel doors are made to order at our UK factory, available in a broad range of heights and widths, and delivered fully assembled.



### THIRD PARTY CERTIFICATION

All our products are independently tested to verify their performance and give you complete peace of mind.



### HARDWARE FITTED

Hardware is already fitted to the door in the factory, saving time and effort on-site.



### HIGH QUALITY LOCKS AS STANDARD

Locks are always fitted into a purpose-made internal reinforcement box, never hung loosely from the fore-end plate within the leaf.



### FULL FITTING KITS SUPPLIED WITH EVERY DOOR

Kit includes a 12mm allen key to make frame adjustment easy, and a selection of drill bits for fitting into concrete or steel.



### QUICK, HASSLE-FREE FITTING

Fitting a Robust door is quick and easy thanks to adjustable fixing feet and variable sub-frames, always supplied as standard.



### SOME LITTLE EXTRAS

We supply a pot of touch-up paint with every door, along with a tube of clear mastic for use during installation to prevent water ingress under the threshold.



### DELIVERY TO SITES ACROSS THE UK

We can deliver your doors to any site across the UK.




### INSTALLATION TRAINING AND SUPPORT

We offer installation training for your fitters, along with on-site assistance when needed.



# Samson



29-31 STEWARTS ROAD  
WELLINGBOROUGH  
NORTHAMPTONSHIRE  
NN8 4RJ

EMAIL: [ENQUIRIES@SAMSONDOORS.CO.UK](mailto:ENQUIRIES@SAMSONDOORS.CO.UK)  
TELEPHONE: (01933) 448850  
MON - FRI 8:00AM - 5:00PM

